



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 07:10 AM GMT

PDB ID : 2ZTU  
Title : T190A mutant of D-3-hydroxybutyrate dehydrogenase complexed with NAD+  
Authors : Nakashima, K.; Nakajima, Y.; Ito, K.; Yoshimoto, T.  
Deposited on : 2008-10-09  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	6249 (2.00-2.00)
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)
RSRZ outliers	91569	6262 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	260	<div> <div>10%</div> <div> <div></div> <div>75%</div> <div>15%</div> <div>•</div> <div>10%</div> </div> </div>
1	B	260	<div> <div>30%</div> <div> <div></div> <div>47%</div> <div>32%</div> <div>•</div> <div>20%</div> </div> </div>
1	C	260	<div> <div>4%</div> <div> <div></div> <div>80%</div> <div>13%</div> <div>7%</div> </div> </div>
1	D	260	<div> <div>8%</div> <div> <div></div> <div>78%</div> <div>14%</div> <div>7%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAD	C	300	-	-	-	X
2	NAD	D	300	-	-	-	X
3	MG	B	401	-	-	-	X

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7368 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called D(-)-3-hydroxybutyrate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	235	Total	C	N	O	S	0	0	0
			1688	1064	301	319	4			
1	B	207	Total	C	N	O	S	0	0	0
			1472	928	257	284	3			
1	C	242	Total	C	N	O	S	0	0	0
			1723	1085	308	326	4			
1	D	241	Total	C	N	O	S	0	0	0
			1718	1082	307	325	4			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	190	ALA	THR	ENGINEERED	UNP Q5KST5
B	190	ALA	THR	ENGINEERED	UNP Q5KST5
C	190	ALA	THR	ENGINEERED	UNP Q5KST5
D	190	ALA	THR	ENGINEERED	UNP Q5KST5

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: C<sub>21</sub>H<sub>27</sub>N<sub>7</sub>O<sub>14</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Mg	0	0
			1	1		
3	A	1	Total	Mg	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	142	Total	O	0	0
			142	142		
4	B	82	Total	O	0	0
			82	82		
4	C	223	Total	O	0	0
			223	223		
4	D	186	Total	O	0	0
			186	186		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: D(-)-3-hydroxybutyrate dehydrogenase





- Molecule 1: D(-)-3-hydroxybutyrate dehydrogenase



- Molecule 1: D(-)-3-hydroxybutyrate dehydrogenase



- Molecule 1: D(-)-3-hydroxybutyrate dehydrogenase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	73.11Å 106.61Å 164.85Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.00 48.84 – 2.00	Depositor EDS
% Data completeness (in resolution range)	98.3 (20.00-2.00) 98.5 (48.84-2.00)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.64 (at 2.00Å)	Xtriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.238 , 0.268 0.238 , 0.268	Depositor DCC
$R_{free}$ test set	4321 reflections (5.02%)	DCC
Wilson B-factor (Å <sup>2</sup> )	27.0	Xtriage
Anisotropy	0.369	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 58.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 86258 reflections	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	7368	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.66% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.31	0/1712	0.57	0/2321
1	B	0.28	0/1493	0.54	0/2030
1	C	0.34	0/1747	0.60	0/2370
1	D	0.32	0/1742	0.59	0/2363
All	All	0.31	0/6694	0.58	0/9084

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1688	0	1718	30	0
1	B	1472	0	1469	80	0
1	C	1723	0	1738	31	0
1	D	1718	0	1736	27	0
2	A	44	0	26	3	0
2	C	44	0	26	1	0
2	D	44	0	26	2	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	142	0	0	2	0
4	B	82	0	0	6	0
4	C	223	0	0	3	0
4	D	186	0	0	4	0
All	All	7368	0	6739	164	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (164) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:187:TRP:HE1	1:B:219:LYS:HB2	1.26	0.98
1:B:187:TRP:H	1:B:220:GLN:NE2	1.68	0.91
1:B:62:ALA:HB1	1:B:69:ALA:HB1	1.52	0.91
1:B:16:ILE:HD11	1:B:188:VAL:HG11	1.56	0.87
1:B:89:ASN:HD22	1:B:139:ASN:ND2	1.75	0.84
1:B:187:TRP:H	1:B:220:GLN:HE22	1.21	0.84
1:B:187:TRP:N	1:B:220:GLN:HE22	1.79	0.79
1:B:227:THR:OG1	1:B:230:GLN:HG3	1.88	0.73
1:C:126:LEU:HD23	1:C:129:MET:HE3	1.71	0.71
1:B:25:ALA:HA	4:B:1430:HOH:O	1.91	0.70
1:A:94:GLN:HE21	1:A:95:HIS:H	1.39	0.70
1:B:95:HIS:HB3	1:B:110:ILE:HD11	1.75	0.67
1:B:9:VAL:HG12	1:B:12:SER:HB3	1.78	0.66
1:A:151:ASN:N	1:A:151:ASN:HD22	1.94	0.66
1:B:128:HIS:O	1:B:132:GLN:HG3	1.96	0.65
1:B:216:LEU:HD11	1:B:225:PHE:CE1	2.33	0.63
1:A:227:THR:OG1	1:A:230:GLN:HG3	1.98	0.63
1:B:110:ILE:O	1:B:114:ASN:HB2	1.99	0.63
1:B:58:LEU:HD12	1:B:81:MET:HG2	1.82	0.62
1:C:94:GLN:HG3	1:C:95:HIS:N	2.13	0.62
1:B:71:ARG:NH1	1:B:120:HIS:ND1	2.44	0.62
1:C:76:ASN:HB2	4:C:1615:HOH:O	1.99	0.62
1:C:38:ASP:OD2	1:C:41:GLU:HG3	1.99	0.61
1:B:232:GLY:O	1:B:236:VAL:HG23	2.01	0.61
1:B:16:ILE:H	1:B:16:ILE:HD12	1.65	0.61
1:B:77:ALA:O	1:B:81:MET:HB2	2.01	0.60
1:B:216:LEU:H	1:B:216:LEU:HD12	1.67	0.59
1:A:249:THR:HG21	1:B:252:SER:HB2	1.84	0.59
1:D:189:ARG:HB3	4:D:1338:HOH:O	2.03	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:38:ASP:OD2	1:D:41:GLU:HG3	2.05	0.57
1:B:98:LEU:HD23	1:B:151:ASN:OD1	2.04	0.57
1:A:128:HIS:O	1:A:132:GLN:HG3	2.05	0.57
1:B:126:LEU:HD13	4:D:1559:HOH:O	2.04	0.57
1:D:10:THR:HB	1:D:64:LEU:CD1	2.35	0.57
1:D:163:VAL:HG12	1:D:167:LYS:HE3	1.86	0.56
1:B:78:VAL:HG23	1:B:83:ARG:HA	1.87	0.56
1:D:10:THR:HB	1:D:64:LEU:HD11	1.86	0.56
1:C:129:MET:CE	1:C:137:ILE:HD11	2.36	0.56
1:B:83:ARG:HB2	1:B:132:GLN:NE2	2.20	0.55
1:C:189:ARG:HB2	1:C:225:PHE:CG	2.42	0.55
1:B:216:LEU:HD12	1:B:216:LEU:N	2.20	0.55
1:C:216:LEU:HD21	1:C:225:PHE:CE2	2.42	0.55
1:B:89:ASN:HD22	1:B:139:ASN:HD21	1.53	0.54
1:C:222:SER:HA	1:D:174:ALA:HB1	1.89	0.54
1:B:187:TRP:HD1	1:B:220:GLN:NE2	2.04	0.54
1:C:125:ALA:C	1:C:129:MET:HE2	2.28	0.54
1:C:30:ASP:HB3	1:C:81:MET:CE	2.37	0.54
1:B:73:LEU:HD12	1:B:73:LEU:O	2.07	0.54
1:D:167:LYS:HE2	4:D:1435:HOH:O	2.07	0.54
1:B:9:VAL:CG1	1:B:12:SER:HB3	2.37	0.53
1:C:167:LYS:HE2	4:C:1569:HOH:O	2.08	0.53
1:B:18:LEU:HB3	4:B:1519:HOH:O	2.08	0.53
1:D:110:ILE:O	1:D:114:ASN:HB2	2.08	0.53
1:B:60:ASP:CG	1:B:73:LEU:HD13	2.30	0.53
1:B:241:ASP:HB2	4:B:1498:HOH:O	2.09	0.53
1:B:16:ILE:HD12	1:B:16:ILE:N	2.24	0.53
1:D:84:ILE:O	1:D:84:ILE:HG23	2.08	0.53
1:B:105:GLU:OE1	1:B:105:GLU:N	2.42	0.52
1:A:84:ILE:HG23	1:A:84:ILE:O	2.10	0.52
1:D:96:THR:O	1:D:97:ALA:HB2	2.10	0.52
1:C:125:ALA:CB	1:C:129:MET:HE1	2.40	0.51
1:A:159:LYS:HG2	4:A:1311:HOH:O	2.10	0.51
1:B:60:ASP:CB	1:B:73:LEU:HD13	2.40	0.51
1:D:122:THR:HG23	1:D:137:ILE:HD13	1.94	0.50
1:D:189:ARG:HB2	1:D:225:PHE:CG	2.47	0.50
1:B:78:VAL:HG11	1:B:128:HIS:CE1	2.47	0.50
1:A:249:THR:HG22	1:A:250:THR:H	1.76	0.50
1:B:16:ILE:H	1:B:16:ILE:CD1	2.25	0.50
1:B:183:ILE:O	1:B:185:PRO:HD3	2.11	0.50
1:B:222:SER:O	1:B:224:GLN:HG3	2.11	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:98:LEU:HD23	1:D:151:ASN:OD1	2.11	0.49
1:B:34:ASN:ND2	1:B:64:LEU:HD11	2.27	0.49
1:B:126:LEU:N	1:B:127:PRO:HD2	2.27	0.49
1:C:30:ASP:HB3	1:C:81:MET:HE3	1.93	0.49
1:D:176:GLN:NE2	4:D:1416:HOH:O	2.43	0.49
1:A:187:TRP:HE1	1:A:219:LYS:HB2	1.77	0.49
1:D:142:SER:HB2	2:D:300:NAD:H6N	1.95	0.49
1:D:189:ARG:HB2	1:D:225:PHE:CD2	2.47	0.49
1:B:240:SER:HB3	4:B:1392:HOH:O	2.12	0.48
1:B:10:THR:HB	1:B:64:LEU:HD11	1.95	0.48
1:B:187:TRP:HB2	1:B:216:LEU:HD23	1.93	0.48
1:D:222:SER:O	1:D:224:GLN:HG3	2.13	0.48
1:B:220:GLN:HG2	1:B:254:ASP:O	2.13	0.48
1:C:163:VAL:HG12	1:C:167:LYS:HE3	1.96	0.48
1:B:31:ILE:HG22	1:B:32:VAL:N	2.28	0.48
1:A:187:TRP:HB2	1:A:216:LEU:HD11	1.94	0.48
1:A:122:THR:O	1:A:126:LEU:HG	2.13	0.48
1:D:254:ASP:HB2	1:D:257:TRP:HB3	1.94	0.48
1:C:10:THR:HB	1:C:64:LEU:HD11	1.95	0.48
1:C:129:MET:HE1	1:C:137:ILE:HD11	1.96	0.47
1:D:94:GLN:HG3	1:D:95:HIS:N	2.28	0.47
1:B:12:SER:HA	1:B:17:GLY:HA3	1.97	0.47
1:B:96:THR:O	1:B:97:ALA:HB2	2.15	0.47
1:B:105:GLU:CD	1:B:105:GLU:H	2.18	0.47
1:B:252:SER:HB3	1:B:254:ASP:OD2	2.14	0.47
1:C:189:ARG:HB3	4:C:1367:HOH:O	2.15	0.47
1:A:142:SER:HB2	2:A:300:NAD:H6N	1.96	0.47
1:C:84:ILE:O	1:C:84:ILE:HG23	2.15	0.46
1:B:75:ASP:O	1:B:78:VAL:HG12	2.15	0.46
1:B:135:GLY:O	1:B:178:ILE:HA	2.15	0.46
1:B:64:LEU:CD2	1:B:70:VAL:HG22	2.45	0.46
1:A:151:ASN:N	1:A:151:ASN:ND2	2.63	0.45
1:B:119:PHE:HA	1:B:165:PHE:CZ	2.51	0.45
1:C:105:GLU:CD	1:C:105:GLU:H	2.19	0.45
1:B:16:ILE:CD1	1:B:188:VAL:HG11	2.39	0.45
1:D:101:ASP:O	1:D:103:PRO:HD3	2.15	0.45
1:C:219:LYS:O	1:C:221:PRO:HD3	2.16	0.45
1:A:16:ILE:HB	2:A:300:NAD:H51N	1.98	0.45
1:A:221:PRO:O	1:A:223:LEU:HG	2.16	0.45
1:A:94:GLN:HG3	1:A:95:HIS:N	2.32	0.45
1:B:158:ALA:O	1:B:162:VAL:HG23	2.16	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:152:LYS:O	1:A:156:VAL:HG23	2.17	0.45
1:C:142:SER:HA	1:C:185:PRO:HD2	1.99	0.45
1:C:126:LEU:HA	1:C:129:MET:HE2	1.99	0.44
1:B:155:TYR:CZ	1:B:159:LYS:HE3	2.52	0.44
1:B:31:ILE:CG2	1:B:32:VAL:N	2.80	0.44
1:B:237:PHE:HA	1:B:240:SER:OG	2.17	0.44
1:D:94:GLN:HE21	1:D:95:HIS:H	1.66	0.44
1:A:182:ALA:O	1:A:250:THR:HA	2.18	0.44
1:C:185:PRO:O	2:C:300:NAD:H5N	2.17	0.44
1:D:152:LYS:O	1:D:156:VAL:HG23	2.18	0.44
1:D:10:THR:O	1:D:90:ASN:HB3	2.18	0.43
1:B:122:THR:HG23	1:B:137:ILE:HD13	2.00	0.43
1:A:185:PRO:O	2:A:300:NAD:H5N	2.18	0.43
1:C:218:GLU:HG2	1:C:219:LYS:HG2	2.00	0.43
1:B:125:ALA:O	1:B:129:MET:HG3	2.18	0.43
1:B:22:THR:O	1:B:25:ALA:HB3	2.19	0.43
1:D:185:PRO:O	2:D:300:NAD:H5N	2.19	0.43
1:A:158:ALA:O	1:A:162:VAL:HG23	2.19	0.43
1:B:63:ASP:O	1:B:69:ALA:HB3	2.18	0.43
1:B:99:ILE:HD13	1:D:165:PHE:CZ	2.53	0.43
1:A:187:TRP:CB	1:A:216:LEU:HD11	2.49	0.43
1:B:187:TRP:N	1:B:220:GLN:NE2	2.43	0.43
1:C:125:ALA:HB1	1:C:129:MET:HE1	2.01	0.43
1:A:188:VAL:HG22	1:A:226:VAL:HB	2.01	0.43
1:B:64:LEU:HA	1:B:70:VAL:CG2	2.49	0.43
1:C:181:ASN:OD1	1:C:249:THR:HG22	2.19	0.43
1:B:68:GLU:CD	1:B:68:GLU:H	2.22	0.43
1:B:31:ILE:HG13	4:B:1430:HOH:O	2.18	0.42
1:A:30:ASP:HB3	1:A:81:MET:CE	2.50	0.42
1:A:220:GLN:NE2	1:A:224:GLN:O	2.53	0.42
1:B:101:ASP:O	1:B:103:PRO:HD3	2.20	0.42
1:B:89:ASN:ND2	1:B:139:ASN:ND2	2.56	0.42
1:B:115:LEU:HB2	1:B:158:ALA:HB1	2.02	0.42
1:B:179:THR:HB	1:B:247:THR:HB	2.02	0.42
1:B:176:GLN:O	1:B:178:ILE:HD12	2.20	0.41
1:B:32:VAL:CG2	1:B:81:MET:HG3	2.50	0.41
1:D:173:THR:HB	1:D:178:ILE:HB	2.01	0.41
1:C:119:PHE:HA	1:C:165:PHE:CZ	2.55	0.41
1:B:25:ALA:C	1:B:27:GLN:H	2.24	0.41
1:B:84:ILE:O	1:B:84:ILE:HG23	2.20	0.41
1:C:10:THR:HB	1:C:64:LEU:CD1	2.51	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:11:GLY:H	1:A:34:ASN:HD22	1.68	0.41
1:A:94:GLN:HE22	1:A:155:TYR:HB2	1.85	0.41
1:A:64:LEU:HD22	1:A:70:VAL:HG22	2.03	0.41
1:A:148:ALA:HB1	1:C:168:VAL:HG22	2.02	0.41
1:C:90:ASN:HD22	1:C:140:ILE:HG13	1.85	0.41
1:A:110:ILE:O	1:A:114:ASN:HB2	2.21	0.41
1:A:159:LYS:HE2	4:A:1311:HOH:O	2.21	0.41
1:B:59:TYR:HB3	4:B:1531:HOH:O	2.20	0.40
1:D:16:ILE:HD11	1:D:188:VAL:HG21	2.02	0.40
1:B:10:THR:HB	1:B:64:LEU:CD1	2.51	0.40
1:B:254:ASP:HB2	1:B:257:TRP:CB	2.51	0.40
1:C:96:THR:O	1:C:97:ALA:HB2	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	231/260 (89%)	224 (97%)	7 (3%)	0	100	100
1	B	201/260 (77%)	183 (91%)	15 (8%)	3 (2%)	13	5
1	C	238/260 (92%)	230 (97%)	8 (3%)	0	100	100
1	D	237/260 (91%)	226 (95%)	10 (4%)	1 (0%)	39	33
All	All	907/1040 (87%)	863 (95%)	40 (4%)	4 (0%)	39	33

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	141	ALA
1	B	97	ALA
1	D	97	ALA

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	26	ALA

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	166/186 (89%)	164 (99%)	2 (1%)	78	81
1	B	145/186 (78%)	143 (99%)	2 (1%)	74	77
1	C	166/186 (89%)	166 (100%)	0	100	100
1	D	166/186 (89%)	166 (100%)	0	100	100
All	All	643/744 (86%)	639 (99%)	4 (1%)	90	93

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	151	ASN
1	A	249	THR
1	B	105	GLU
1	B	216	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	34	ASN
1	A	89	ASN
1	A	94	GLN
1	A	132	GLN
1	A	139	ASN
1	A	151	ASN
1	A	176	GLN
1	B	34	ASN
1	B	76	ASN
1	B	94	GLN
1	B	128	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	132	GLN
1	B	139	ASN
1	B	220	GLN
1	C	27	GLN
1	C	89	ASN
1	C	90	ASN
1	C	94	GLN
1	C	139	ASN
1	D	89	ASN
1	D	94	GLN
1	D	132	GLN
1	D	139	ASN
1	D	176	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 2 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	NAD	A	300	-	38,48,48	2.40	9 (23%)	47,73,73	2.18	8 (17%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAD	C	300	-	38,48,48	2.36	8 (21%)	47,73,73	2.08	7 (14%)
2	NAD	D	300	-	38,48,48	2.37	9 (23%)	47,73,73	2.10	5 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	A	300	-	-	0/22/62/62	0/5/5/5
2	NAD	C	300	-	-	0/22/62/62	0/5/5/5
2	NAD	D	300	-	-	0/22/62/62	0/5/5/5

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	300	NAD	C2N-C3N	-2.90	1.34	1.39
2	D	300	NAD	C2N-C3N	-2.86	1.34	1.39
2	A	300	NAD	C2N-C3N	-2.69	1.34	1.39
2	C	300	NAD	O4D-C4D	2.02	1.49	1.45
2	A	300	NAD	O4D-C4D	2.02	1.49	1.45
2	D	300	NAD	O4D-C4D	2.04	1.49	1.45
2	D	300	NAD	C3D-C4D	2.09	1.58	1.53
2	A	300	NAD	C3D-C4D	2.11	1.58	1.53
2	A	300	NAD	O4D-C1D	2.82	1.44	1.41
2	C	300	NAD	C6N-N1N	2.94	1.43	1.35
2	D	300	NAD	O4D-C1D	2.95	1.44	1.41
2	D	300	NAD	C6N-N1N	3.01	1.43	1.35
2	A	300	NAD	C6N-N1N	3.06	1.43	1.35
2	C	300	NAD	O4D-C1D	3.26	1.45	1.41
2	C	300	NAD	C4A-N3A	3.41	1.40	1.35
2	D	300	NAD	C4A-N3A	3.53	1.40	1.35
2	A	300	NAD	C4A-N3A	3.66	1.41	1.35
2	C	300	NAD	C2A-N3A	4.55	1.40	1.32
2	D	300	NAD	C2A-N3A	4.62	1.40	1.32
2	A	300	NAD	C2A-N3A	4.79	1.40	1.32
2	D	300	NAD	C5N-C4N	6.43	1.52	1.38
2	C	300	NAD	C5N-C4N	6.51	1.52	1.38
2	A	300	NAD	C5N-C4N	6.51	1.52	1.38
2	C	300	NAD	C4N-C3N	8.42	1.53	1.39
2	A	300	NAD	C4N-C3N	8.53	1.53	1.39
2	D	300	NAD	C4N-C3N	8.60	1.54	1.39

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	300	NAD	N3A-C2A-N1A	-8.89	122.09	128.89
2	D	300	NAD	N3A-C2A-N1A	-8.84	122.13	128.89
2	C	300	NAD	N3A-C2A-N1A	-8.64	122.28	128.89
2	A	300	NAD	C5N-C4N-C3N	-7.86	110.45	120.33
2	D	300	NAD	C5N-C4N-C3N	-7.64	110.73	120.33
2	C	300	NAD	C5N-C4N-C3N	-7.61	110.76	120.33
2	A	300	NAD	C4B-O4B-C1B	-3.94	105.39	109.72
2	A	300	NAD	C2B-C1B-N9A	-3.06	109.62	114.29
2	C	300	NAD	C4B-O4B-C1B	-2.46	107.02	109.72
2	D	300	NAD	C4B-O4B-C1B	-2.38	107.10	109.72
2	C	300	NAD	C2B-C1B-N9A	-2.05	111.16	114.29
2	A	300	NAD	C1B-N9A-C4A	-2.02	123.89	126.94
2	A	300	NAD	O2B-C2B-C3B	2.02	118.40	111.83
2	C	300	NAD	O2B-C2B-C3B	2.05	118.49	111.83
2	A	300	NAD	C2N-C3N-C4N	2.10	120.63	118.29
2	C	300	NAD	C2N-C3N-C4N	2.22	120.76	118.29
2	D	300	NAD	C2N-C3N-C4N	2.23	120.77	118.29
2	C	300	NAD	C2A-N1A-C6A	3.84	125.64	118.77
2	A	300	NAD	C2A-N1A-C6A	3.85	125.65	118.77
2	D	300	NAD	C2A-N1A-C6A	3.90	125.74	118.77

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	300	NAD	3	0
2	C	300	NAD	1	0
2	D	300	NAD	2	0

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	235/260 (90%)	0.71	25 (10%) <b>8</b> <b>9</b>	12, 30, 50, 61	1 (0%)
1	B	207/260 (79%)	1.99	79 (38%) <b>0</b> <b>1</b>	29, 48, 64, 67	0
1	C	242/260 (93%)	0.27	10 (4%) 41 42	11, 20, 39, 56	1 (0%)
1	D	241/260 (92%)	0.57	20 (8%) <b>14</b> <b>15</b>	16, 27, 49, 55	0
All	All	925/1040 (88%)	0.84	134 (14%) <b>3</b> <b>4</b>	11, 30, 57, 67	2 (0%)

All (134) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	58	LEU	7.8
1	B	13	THR	7.4
1	B	62	ALA	6.4
1	B	31	ILE	6.3
1	B	91	ALA	6.3
1	B	74	VAL	6.0
1	B	59	TYR	6.0
1	D	211	ALA	5.8
1	B	21	ALA	5.7
1	D	212	ALA	5.7
1	B	18	LEU	5.5
1	B	25	ALA	5.2
1	B	131	LYS	5.1
1	B	187	TRP	5.0
1	B	33	LEU	4.9
1	C	211	ALA	4.8
1	B	216	LEU	4.7
1	D	97	ALA	4.5
1	B	81	MET	4.3
1	B	64	LEU	4.2
1	B	113	LEU	4.2

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	15	GLY	4.1
1	B	124	ALA	4.1
1	C	187	TRP	4.1
1	D	217	SER	4.0
1	B	72	GLY	3.9
1	B	8	VAL	3.9
1	B	63	ASP	3.8
1	B	128	HIS	3.8
1	B	80	GLN	3.8
1	B	61	GLY	3.6
1	B	77	ALA	3.6
1	C	212	ALA	3.6
1	B	86	ILE	3.6
1	B	34	ASN	3.6
1	B	79	ARG	3.6
1	B	214	GLU	3.5
1	C	208	GLN	3.5
1	A	187	TRP	3.5
1	B	32	VAL	3.5
1	D	210	THR	3.5
1	A	251	VAL	3.5
1	D	102	PHE	3.5
1	B	76	ASN	3.5
1	A	253	VAL	3.4
1	B	78	VAL	3.4
1	B	70	VAL	3.4
1	B	30	ASP	3.4
1	B	12	SER	3.4
1	D	146	LEU	3.4
1	B	97	ALA	3.3
1	B	105	GLU	3.3
1	B	229	GLU	3.3
1	A	217	SER	3.3
1	B	217	SER	3.2
1	A	189	ARG	3.2
1	B	188	VAL	3.2
1	B	84	ILE	3.2
1	B	22	THR	3.2
1	A	163	VAL	3.2
1	B	23	ALA	3.1
1	C	210	THR	3.1
1	A	146	LEU	3.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	87	LEU	3.0
1	B	225	PHE	3.0
1	B	133	GLY	3.0
1	B	85	ASP	3.0
1	D	249	THR	2.9
1	B	16	ILE	2.9
1	A	184	CYS	2.9
1	B	127	PRO	2.9
1	A	131	LYS	2.9
1	B	215	LEU	2.9
1	B	109	ALA	2.9
1	B	36	PHE	2.8
1	B	28	GLY	2.8
1	A	183	ILE	2.8
1	B	249	THR	2.7
1	D	187	TRP	2.7
1	D	105	GLU	2.7
1	A	141	ALA	2.7
1	B	75	ASP	2.7
1	B	26	ALA	2.7
1	A	216	LEU	2.6
1	D	216	LEU	2.6
1	B	14	SER	2.6
1	B	65	SER	2.6
1	B	68	GLU	2.6
1	A	225	PHE	2.6
1	C	251	VAL	2.5
1	A	258	THR	2.5
1	B	93	ILE	2.5
1	B	29	ALA	2.5
1	B	246	ILE	2.5
1	D	250	THR	2.5
1	B	182	ALA	2.5
1	B	19	GLY	2.4
1	A	52	GLN	2.4
1	A	250	THR	2.4
1	B	69	ALA	2.4
1	B	243	ALA	2.4
1	D	95	HIS	2.4
1	B	223	LEU	2.4
1	B	88	VAL	2.3
1	C	258	THR	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	92	GLY	2.2
1	B	94	GLN	2.2
1	A	249	THR	2.2
1	A	55	VAL	2.2
1	B	241	ASP	2.2
1	B	251	VAL	2.2
1	B	170	ALA	2.2
1	D	213	ARG	2.2
1	A	215	LEU	2.2
1	D	209	GLU	2.2
1	A	237	PHE	2.2
1	D	163	VAL	2.2
1	A	1	MET	2.2
1	C	146	LEU	2.2
1	A	182	ALA	2.2
1	A	185	PRO	2.2
1	B	17	GLY	2.1
1	A	140	ILE	2.1
1	B	20	ILE	2.1
1	D	189	ARG	2.1
1	D	154	ALA	2.1
1	B	140	ILE	2.1
1	A	218	GLU	2.1
1	B	120	HIS	2.1
1	C	189	ARG	2.1
1	D	68	GLU	2.0
1	B	24	LEU	2.0
1	C	163	VAL	2.0
1	D	149	SER	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	MG	B	401	1/1	0.46	0.63	19.35	66,66,66,66	0
2	NAD	D	300	44/44	0.73	0.25	3.41	44,60,62,63	0
2	NAD	C	300	44/44	0.86	0.23	2.51	31,48,53,54	0
3	MG	A	406	1/1	0.85	0.22	1.25	39,39,39,39	0
2	NAD	A	300	44/44	0.87	0.17	0.56	26,48,54,54	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.