



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:33 PM GMT

PDB ID : 3ZUU  
Title : THE STRUCTURE OF OST1 (D160A, S175D) KINASE IN COMPLEX WITH GOLD  
Authors : Yunta, C.; Martinez-Ripoll, M.; Albert, A.  
Deposited on : 2011-07-20  
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*



The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2103 (2.70-2.70)
Clashscore	102246	2422 (2.70-2.70)
Ramachandran outliers	100387	2382 (2.70-2.70)
Sidechain outliers	100360	2382 (2.70-2.70)
RSRZ outliers	91569	2107 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	362	 2% 52% 22% • 22%
1	B	362	 4% 48% 25% 5% 22%

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 4579 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called SERINE/THREONINE-PROTEIN KINASE SRK2E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	281	Total	C	N	O	S	0	0	0
			2258	1444	393	409	12			
1	B	282	Total	C	N	O	S	0	0	0
			2264	1449	394	409	12			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	160	ALA	ASP	ENGINEERED MUTATION	UNP Q940H6
A	175	ASP	SER	ENGINEERED MUTATION	UNP Q940H6
B	160	ALA	ASP	ENGINEERED MUTATION	UNP Q940H6
B	175	ASP	SER	ENGINEERED MUTATION	UNP Q940H6

- Molecule 2 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is GOLD ION (three-letter code: AU) (formula: Au).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Au	0	0
			1	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	31	Total	O	0	0
			31	31		
4	B	17	Total	O	0	0
			17	17		

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Chain A:

Chain B:

4% 48% 25% 5% 22%

MET M88 LYS M88 ASP

ASP GLU SER ASP GLU GLY PRO MET ASP L12 P13 I14 M15 H16 D17 S18 D19 R20 Y21 E22 G28 S29 G30 N31 F32 G33 V34 A35 L37 M38 R39 Q42 S43 M44 E45 V49 R50 Y51 I52 I53 E53 R54 G55 E56 K57 I58 D59 F60 M61 V62 K63 R64 E65 T66 L67

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	77.57Å 99.02Å 108.45Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	54.23 – 2.70 77.57 – 2.59	Depositor EDS
% Data completeness (in resolution range)	99.9 (54.23-2.70) 99.4 (77.57-2.59)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.61 (at 2.58Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, $R_{free}$	0.238 , 0.279 0.234 , 0.273	Depositor DCC
$R_{free}$ test set	901 reflections (3.82%)	DCC
Wilson B-factor (Å <sup>2</sup> )	64.3	Xtriage
Anisotropy	0.156	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 48.3	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 26427 reflections	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	4579	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	68.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.86% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: AU, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.50	0/2310	0.61	0/3125
1	B	0.46	0/2316	0.59	0/3134
All	All	0.48	0/4626	0.60	0/6259

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	137	CYS	Peptide
1	A	318	PRO	Peptide

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2258	0	2253	66	1
1	B	2264	0	2265	84	1
2	A	4	0	6	0	0
2	B	4	0	6	2	0
3	A	1	0	0	0	0
4	A	31	0	0	7	0
4	B	17	0	0	0	0
All	All	4579	0	4530	150	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (150) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:20:ARG:HH11	1:B:20:ARG:HG3	1.30	0.95
1:B:222:GLU:HB3	2:B:1320:EDO:H11	1.49	0.94
1:A:28:GLY:HA2	1:A:34:VAL:HG13	1.52	0.89
1:B:36:ARG:HG2	1:B:38:MET:HE2	1.53	0.88
1:B:49:VAL:HG22	1:B:93:VAL:HG22	1.55	0.86
1:A:55:GLY:HA2	1:A:316:THR:O	1.78	0.83
1:A:313:ALA:O	1:A:316:THR:OG1	1.97	0.82
1:A:137:CYS:SG	4:A:2014:HOH:O	2.39	0.80
1:A:39:ARG:HE	1:A:44:ASN:HA	1.48	0.78
1:B:20:ARG:HH11	1:B:20:ARG:CG	2.00	0.75
1:A:23:LEU:HD12	1:A:24:VAL:N	2.01	0.75
1:B:305:ILE:O	1:B:309:MET:HG2	1.88	0.73
1:B:222:GLU:HB3	2:B:1320:EDO:C1	2.18	0.72
1:B:43:SER:OG	1:B:45:GLU:HB2	1.91	0.71
1:A:307:GLU:O	1:A:311:ILE:HG13	1.91	0.71
1:A:228:LYS:HE2	1:A:232:ARG:NH2	2.06	0.70
1:B:45:GLU:OE1	1:B:81:LYS:NZ	2.25	0.69
1:A:85:LEU:HD12	1:A:315:ALA:HB2	1.74	0.68
1:B:228:LYS:HE2	1:B:232:ARG:NH2	2.10	0.67
1:B:57:LYS:O	1:B:59:ASP:N	2.27	0.66
1:A:72:LEU:O	4:A:2003:HOH:O	2.13	0.66
1:B:136:VAL:HG12	1:B:140:ASP:HB2	1.77	0.66
1:A:15:MET:HA	1:A:36:ARG:HH12	1.60	0.65
1:A:24:VAL:HG21	1:A:46:LEU:HD11	1.78	0.65
1:A:262:PRO:O	4:A:2030:HOH:O	2.15	0.65
1:A:83:VAL:HG22	1:A:90:LEU:HD11	1.79	0.64
1:B:54:ARG:HH21	1:B:319:PRO:HD3	1.62	0.64

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:109:ALA:O	4:A:2009:HOH:O	2.15	0.64
1:B:69:HIS:CD2	1:B:80:PHE:HB2	2.33	0.63
1:B:70:ARG:NH2	1:B:303:GLN:O	2.32	0.63
1:B:92:ILE:HD13	1:B:163:TYR:CE2	2.34	0.62
1:B:28:GLY:HA2	1:B:34:VAL:HA	1.82	0.62
1:A:21:TYR:HE1	1:A:40:ASP:HB2	1.64	0.62
1:A:82:GLU:OE2	1:A:84:ILE:HD11	1.99	0.62
1:B:38:MET:HE3	1:B:49:VAL:HG21	1.82	0.61
1:B:304:SER:HB2	1:B:306:GLU:OE1	2.00	0.61
1:B:63:LYS:O	1:B:67:ILE:HG12	2.00	0.60
1:A:63:LYS:O	1:A:67:ILE:HG12	2.02	0.60
1:B:38:MET:HE3	1:B:49:VAL:CG2	2.31	0.60
1:A:24:VAL:HG21	1:A:46:LEU:CD1	2.33	0.59
1:A:84:ILE:HB	1:A:91:ALA:HB3	1.85	0.58
1:A:36:ARG:HD2	1:A:38:MET:CE	2.34	0.58
1:B:151:SER:OG	1:B:153:ALA:O	2.15	0.58
1:B:188:LEU:HD13	1:B:230:ILE:HG23	1.86	0.58
1:B:92:ILE:HD13	1:B:163:TYR:CD2	2.38	0.58
1:B:181:ALA:HA	1:B:233:ILE:HD11	1.86	0.57
1:B:54:ARG:NH2	1:B:319:PRO:HD3	2.19	0.57
1:B:31:ASN:N	1:B:31:ASN:HD22	2.03	0.57
1:A:21:TYR:CE1	1:A:40:ASP:HB2	2.40	0.57
1:A:43:SER:O	1:A:44:ASN:CB	2.52	0.57
1:A:144:GLU:CD	1:A:144:GLU:H	2.08	0.57
1:B:307:GLU:O	1:B:311:ILE:HG13	2.05	0.56
1:A:61:ASN:O	1:A:65:GLU:HB2	2.04	0.56
1:B:307:GLU:O	1:B:311:ILE:CG1	2.53	0.56
1:A:191:LYS:HE3	1:A:191:LYS:N	2.19	0.56
1:A:40:ASP:OD1	1:A:43:SER:N	2.39	0.56
1:B:12:LEU:HG	1:B:13:PRO:HD2	1.89	0.55
1:B:58:ILE:HG13	1:B:316:THR:HA	1.88	0.54
1:B:74:HIS:CE1	1:B:76:ASN:HB2	2.41	0.54
1:A:42:GLN:N	1:A:42:GLN:OE1	2.39	0.54
1:B:75:PRO:HA	1:B:79:ARG:NH1	2.23	0.54
1:A:12:LEU:H	1:A:12:LEU:HD12	1.73	0.54
1:B:54:ARG:HA	1:B:58:ILE:HD11	1.89	0.54
1:B:65:GLU:OE2	1:B:163:TYR:HD1	1.91	0.53
1:A:28:GLY:O	1:A:34:VAL:HG22	2.08	0.53
1:A:23:LEU:HD12	1:A:23:LEU:C	2.28	0.53
1:B:31:ASN:N	1:B:31:ASN:ND2	2.56	0.53
1:B:268:ILE:HB	1:B:269:PRO:HD3	1.91	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:268:ILE:HB	1:A:269:PRO:HD3	1.91	0.52
1:B:59:ASP:OD1	1:B:61:ASN:ND2	2.42	0.52
1:A:179:THR:N	4:A:2021:HOH:O	2.41	0.52
1:B:308:ILE:O	1:B:312:ILE:HG13	2.10	0.52
1:A:15:MET:HA	1:A:36:ARG:NH1	2.22	0.51
1:B:216:PRO:O	1:B:218:GLU:N	2.43	0.51
1:A:216:PRO:O	1:A:218:GLU:N	2.41	0.51
1:B:31:ASN:ND2	1:B:31:ASN:H	2.08	0.51
1:A:191:LYS:CE	1:A:191:LYS:H	2.24	0.51
1:B:92:ILE:HG21	1:B:163:TYR:HE2	1.76	0.50
1:A:236:VAL:HG12	1:A:236:VAL:O	2.11	0.50
1:B:20:ARG:NH1	1:B:20:ARG:HG3	2.10	0.50
1:B:206:THR:O	1:B:209:VAL:HG12	2.11	0.50
1:B:16:HIS:NE2	1:B:51:TYR:OH	2.30	0.49
1:B:68:ASN:O	1:B:71:SER:OG	2.22	0.49
1:B:155:ARG:HH11	1:B:155:ARG:CG	2.26	0.48
1:B:88:THR:HB	1:B:89:HIS:ND1	2.28	0.48
1:B:88:THR:HB	1:B:89:HIS:CE1	2.47	0.48
1:A:43:SER:O	4:A:2001:HOH:O	2.20	0.48
1:A:68:ASN:O	1:A:71:SER:OG	2.23	0.48
1:B:236:VAL:HG12	1:B:236:VAL:O	2.14	0.48
1:B:140:ASP:HB3	1:B:161:PHE:CE1	2.48	0.48
1:B:58:ILE:HB	1:B:316:THR:HG23	1.95	0.48
1:A:314:GLU:O	1:A:317:VAL:HG22	2.13	0.48
1:B:142:LYS:HA	1:B:144:GLU:OE2	2.14	0.48
1:B:43:SER:HG	1:B:45:GLU:HB2	1.77	0.47
1:B:32:PHE:O	1:B:50:LYS:HE3	2.14	0.47
1:A:74:HIS:CE1	1:A:76:ASN:HB2	2.49	0.47
1:B:280:ASN:O	1:B:282:PRO:HD3	2.15	0.47
1:B:22:GLU:OE1	1:B:39:ARG:NH2	2.44	0.47
1:A:241:PRO:HB2	1:A:244:VAL:HG23	1.96	0.47
1:A:43:SER:O	1:A:44:ASN:HB3	2.14	0.47
1:B:304:SER:HB2	1:B:306:GLU:CD	2.35	0.47
1:A:74:HIS:CG	1:A:75:PRO:HD2	2.50	0.46
1:B:85:LEU:HB2	1:B:311:ILE:HG22	1.97	0.46
1:A:136:VAL:HG12	1:A:140:ASP:HB2	1.96	0.46
1:A:54:ARG:NH2	1:A:85:LEU:HD21	2.31	0.46
1:A:280:ASN:O	1:A:282:PRO:HD3	2.16	0.46
1:B:14:ILE:HG13	1:B:15:MET:N	2.30	0.46
1:B:138:HIS:HA	1:B:199:ASP:OD1	2.15	0.46
1:B:241:PRO:HB2	1:B:244:VAL:HG23	1.98	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:38:MET:CE	1:B:49:VAL:HG21	2.44	0.46
1:B:13:PRO:HB3	1:B:89:HIS:CE1	2.51	0.45
1:B:69:HIS:CD2	1:B:80:PHE:CB	2.99	0.45
1:A:191:LYS:NZ	1:A:191:LYS:H	2.15	0.45
1:A:58:ILE:HG13	1:A:315:ALA:O	2.16	0.44
1:A:149:ASP:OD1	1:A:151:SER:HB2	2.18	0.44
1:A:182:TYR:HA	1:A:205:VAL:HG21	1.98	0.44
1:A:112:PHE:O	4:A:2011:HOH:O	2.21	0.44
1:A:54:ARG:HD3	1:A:315:ALA:HA	2.00	0.44
1:A:17:ASP:C	1:A:19:ASP:H	2.21	0.44
1:B:51:TYR:HA	1:B:90:LEU:O	2.17	0.44
1:A:206:THR:O	1:A:209:VAL:HG12	2.17	0.44
1:A:21:TYR:HA	1:A:39:ARG:O	2.18	0.44
1:B:58:ILE:H	1:B:58:ILE:HG12	1.53	0.44
1:A:25:LYS:HG3	1:A:26:ASP:N	2.33	0.43
1:B:49:VAL:HG12	1:B:51:TYR:CE1	2.53	0.43
1:B:144:GLU:CD	1:B:144:GLU:H	2.20	0.43
1:B:62:VAL:HG12	1:B:63:LYS:N	2.33	0.43
1:A:86:THR:OG1	1:A:89:HIS:N	2.45	0.43
1:B:83:VAL:HG12	1:B:311:ILE:HD12	2.00	0.43
1:A:36:ARG:HD2	1:A:38:MET:HE3	1.99	0.43
1:B:61:ASN:O	1:B:64:ARG:HB2	2.18	0.43
1:B:36:ARG:HG2	1:B:38:MET:CE	2.35	0.42
1:B:61:ASN:HA	1:B:64:ARG:HD3	2.00	0.42
1:B:21:TYR:HB3	1:B:38:MET:HG2	2.02	0.42
1:B:75:PRO:C	1:B:77:ILE:H	2.23	0.42
1:B:73:ARG:HB3	1:B:73:ARG:HE	1.63	0.42
1:A:39:ARG:HE	1:A:44:ASN:CA	2.27	0.42
1:A:267:SER:OG	1:A:269:PRO:HD2	2.20	0.42
1:B:52:ILE:O	1:B:53:GLU:C	2.58	0.41
1:B:267:SER:O	1:B:271:ILE:HG13	2.20	0.41
1:A:68:ASN:HB3	1:A:161:PHE:CZ	2.55	0.41
1:B:53:GLU:HA	1:B:89:HIS:CD2	2.55	0.41
1:A:305:ILE:HG13	1:A:305:ILE:O	2.20	0.41
1:B:20:ARG:NH1	1:B:20:ARG:CG	2.67	0.41
1:B:307:GLU:O	1:B:311:ILE:HG12	2.20	0.41
1:B:267:SER:OG	1:B:269:PRO:HD2	2.21	0.41
1:A:197:VAL:HG12	1:A:265:ARG:NH1	2.35	0.40
1:A:191:LYS:CE	1:A:191:LYS:N	2.82	0.40
1:B:118:ARG:HD3	1:B:276:TRP:O	2.22	0.40
1:A:23:LEU:HD13	1:A:36:ARG:HD3	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:190:LYS:O	1:B:227:ARG:NH2[3_655]	2.11	0.09

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	275/362 (76%)	252 (92%)	21 (8%)	2 (1%)	26	55
1	B	276/362 (76%)	246 (89%)	26 (9%)	4 (1%)	14	35
All	All	551/724 (76%)	498 (90%)	47 (8%)	6 (1%)	17	42

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	58	ILE
1	B	53	GLU
1	A	161	PHE
1	B	161	PHE
1	A	58	ILE
1	B	318	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	246/321 (77%)	225 (92%)	21 (8%)	13	30
1	B	247/321 (77%)	219 (89%)	28 (11%)	7	16
All	All	493/642 (77%)	444 (90%)	49 (10%)	10	22

All (49) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	ILE
1	A	18	SER
1	A	23	LEU
1	A	27	ILE
1	A	31	ASN
1	A	36	ARG
1	A	39	ARG
1	A	40	ASP
1	A	52	ILE
1	A	53	GLU
1	A	65	GLU
1	A	73	ARG
1	A	88	THR
1	A	94	MET
1	A	115	ASP
1	A	137	CYS
1	A	190	LYS
1	A	191	LYS
1	A	227	ARG
1	A	284	ASP
1	A	316	THR
1	B	14	ILE
1	B	19	ASP
1	B	20	ARG
1	B	29	SER
1	B	31	ASN
1	B	34	VAL
1	B	38	MET
1	B	42	GLN
1	B	45	GLU
1	B	52	ILE
1	B	56	GLU
1	B	58	ILE
1	B	68	ASN
1	B	81	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	82	GLU
1	B	94	MET
1	B	115	ASP
1	B	137	CYS
1	B	139	ARG
1	B	155	ARG
1	B	191	LYS
1	B	222	GLU
1	B	227	ARG
1	B	284	ASP
1	B	306	GLU
1	B	307	GLU
1	B	311	ILE
1	B	316	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	31	ASN
1	B	69	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	EDO	A	1320	-	3,3,3	0.82	0	2,2,2	0.85	0
2	EDO	B	1320	-	3,3,3	0.83	0	2,2,2	1.08	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	A	1320	-	-	0/1/1/1	0/0/0/0
2	EDO	B	1320	-	-	0/1/1/1	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1320	EDO	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	281/362 (77%)	0.52	9 (3%) 51 51	43, 61, 97, 128	0
1	B	282/362 (77%)	0.47	14 (4%) 32 31	44, 65, 114, 133	0
All	All	563/724 (77%)	0.49	23 (4%) 41 41	43, 63, 110, 133	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	34	VAL	3.4
1	B	13	PRO	3.1
1	B	90	LEU	2.9
1	A	31	ASN	2.7
1	B	92	ILE	2.6
1	A	32	PHE	2.5
1	B	230	ILE	2.5
1	B	162	GLY	2.4
1	B	32	PHE	2.3
1	B	12	LEU	2.3
1	A	163	TYR	2.3
1	B	281	LEU	2.3
1	B	163	TYR	2.2
1	A	43	SER	2.2
1	B	161	PHE	2.2
1	A	187	VAL	2.2
1	A	91	ALA	2.2
1	B	34	VAL	2.2
1	B	15	MET	2.1
1	A	85	LEU	2.1
1	B	18	SER	2.1
1	B	245	HIS	2.1
1	A	228	LYS	2.0



## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	EDO	A	1320	4/4	0.92	0.26	-0.09	49,49,51,60	0
2	EDO	B	1320	4/4	0.76	0.34	-	57,58,59,59	0
3	AU	A	1321	1/1	0.98	0.06	-	118,118,118,118	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.