



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 12:08 AM GMT

PDB ID : 1ZVL
Title : Rat Neuronal Nitric Oxide Synthase Oxygenase Domain complexed with natural substrate L-Arg.
Authors : Matter, H.; Kumar, H.S.; Fedorov, R.; Frey, A.; Kotsonis, P.; Hartmann, E.; Frohlich, L.G.; Reif, A.; Pfeleiderer, W.; Scheurer, P.; Ghosh, D.K.; Schlichting, I.; Schmidt, H.H.
Deposited on : 2005-06-02
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3553 (2.50-2.50)
Clashscore	102246	4242 (2.50-2.50)
Ramachandran outliers	100387	4156 (2.50-2.50)
Sidechain outliers	100360	4158 (2.50-2.50)
RSRZ outliers	91569	3562 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	420	<div> <div>6%</div> <div> <div></div> <div>51%</div> <div>43%</div> <div>6%</div> </div> </div>
1	B	420	<div> <div>5%</div> <div> <div></div> <div>60%</div> <div>33%</div> <div>6%</div> </div> </div>

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 7305 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nitric-oxide synthase, brain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	420	Total	C	N	O	S	0	0	0
			3418	2183	589	625	21			
1	B	420	Total	C	N	O	S	0	0	0
			3418	2183	589	625	21			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	297	GLY	-	CLONING ARTIFACT	UNP P29476
B	297	GLY	-	CLONING ARTIFACT	UNP P29476

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		

- Molecule 3 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: C₃₄H₃₂FeN₄O₄).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 4 is 5,6,7,8-TETRAHYDROBIOPTERIN (three-letter code: H4B) (formula: $C_9H_{15}N_5O_3$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			17	9	5	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	N	O	0	0
			17	9	5	3		

- Molecule 5 is ARGinine (three-letter code: ARG) (formula: $C_6H_{15}N_4O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			12	6	4	2		
5	B	1	Total	C	N	O	0	0
			12	6	4	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	138	Total	O	0	0
			138	138		
6	B	186	Total	O	0	0
			186	186		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Nitric-oxide synthase, brain



• Molecule 1: Nitric-oxide synthase, brain





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	52.36Å 111.29Å 165.18Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	8.00 – 2.50 19.94 – 2.30	Depositor EDS
% Data completeness (in resolution range)	(Not available) (8.00-2.50) 93.6 (19.94-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.85 (at 2.30Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.201 , 0.249 0.193 , 0.242	Depositor DCC
R_{free} test set	1584 reflections (5.26%)	DCC
Wilson B-factor (Å ²)	32.5	Xtriage
Anisotropy	0.656	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 77.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 40957 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7305	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.41% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, ZN, H4B

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.40	0/3515	0.62	1/4770 (0.0%)
1	B	0.40	0/3515	0.64	0/4770
All	All	0.40	0/7030	0.63	1/9540 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	589	MET	N-CA-C	-5.56	96.00	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3418	0	3324	171	0
1	B	3418	0	3324	144	0
2	A	1	0	0	0	0
3	A	43	0	30	0	0
3	B	43	0	30	1	0
4	A	17	0	15	1	0
4	B	17	0	15	1	0
5	A	12	0	12	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	12	0	12	1	0
6	A	138	0	0	4	0
6	B	186	0	0	5	0
All	All	7305	0	6762	299	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (299) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:470:HIS:HB3	1:A:528:GLY:HA3	1.41	1.03
1:A:350:THR:HG22	1:A:352:ASP:H	1.26	0.96
1:A:344:LYS:HD3	1:A:346:GLU:HG3	1.54	0.88
1:B:343:ARG:HA	1:B:343:ARG:CZ	2.08	0.84
1:A:340:GLN:O	1:A:341:HIS:HB2	1.77	0.82
1:A:686:SER:HB2	1:B:682:PRO:HB2	1.63	0.80
1:B:343:ARG:HG3	1:B:571:LEU:HD13	1.64	0.78
1:B:469:LYS:O	1:B:470:HIS:HB2	1.83	0.77
1:B:525:GLN:HG3	1:B:529:ASN:O	1.85	0.77
1:A:470:HIS:CB	1:A:528:GLY:HA3	2.14	0.77
1:A:322:LEU:HB3	1:A:699:ARG:HH21	1.50	0.76
1:B:587:TRP:H	3:B:800:HEM:HAB	1.51	0.75
1:A:466:THR:OG1	1:A:469:LYS:HB3	1.85	0.75
1:A:487:GLN:OE1	1:A:493:LEU:HB2	1.88	0.74
1:B:298:PRO:C	1:B:299:ARG:HD3	2.09	0.73
1:A:473:ARG:NH2	1:A:710:PRO:HD3	2.02	0.73
1:A:350:THR:HG22	1:A:352:ASP:N	2.03	0.73
1:A:694:GLU:HG2	1:B:335:ILE:HD13	1.70	0.72
1:A:608:GLU:HG3	1:A:618:MET:HE1	1.72	0.72
1:B:343:ARG:HA	1:B:343:ARG:NH1	2.04	0.72
1:A:297:GLY:N	1:A:300:PHE:HB2	2.05	0.71
1:B:537:PRO:HG2	1:B:540:LEU:HD12	1.73	0.70
1:B:478:GLN:HB2	1:B:481:ARG:HG3	1.75	0.69
1:A:500:GLN:HE21	1:A:500:GLN:HA	1.58	0.69
1:B:404:GLY:HA3	1:B:574:ILE:HD13	1.75	0.69
1:A:634:ASN:HB3	6:A:1023:HOH:O	1.92	0.69
1:A:380:ARG:O	1:A:384:VAL:HG23	1.93	0.68
1:A:330:ILE:HD11	1:B:696:LEU:HD22	1.76	0.67
1:A:344:LYS:CD	1:A:346:GLU:HG3	2.23	0.67
1:A:439:PHE:CD2	1:A:534:PHE:HB3	2.30	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:342:THR:O	1:B:343:ARG:HG2	1.95	0.66
1:A:350:THR:HB	1:A:353:GLN:HG3	1.79	0.65
1:B:524:LEU:O	1:B:531:PRO:HA	1.96	0.65
1:A:322:LEU:HB3	1:A:699:ARG:NH2	2.10	0.65
1:A:594:GLY:HA3	1:A:634:ASN:ND2	2.12	0.65
1:B:487:GLN:HE22	1:B:493:LEU:HB2	1.62	0.65
1:A:304:LYS:HB2	1:A:311:VAL:HG22	1.79	0.64
1:A:500:GLN:HA	1:A:500:GLN:NE2	2.12	0.64
1:A:343:ARG:HH12	1:A:349:ARG:HH22	1.45	0.64
1:A:351:LYS:HG2	1:A:392:SER:HA	1.79	0.64
1:B:297:GLY:HA3	1:B:299:ARG:HH12	1.63	0.64
1:A:694:GLU:HG2	1:B:335:ILE:HA	1.81	0.63
1:B:479:LEU:HD13	1:B:568:SER:HB3	1.81	0.63
1:A:506:ILE:HD13	1:A:514:ARG:HH12	1.63	0.62
1:A:525:GLN:HG3	1:A:529:ASN:O	1.99	0.62
1:A:367:SER:O	1:A:370:LYS:HE2	2.00	0.62
1:A:674:ALA:HB3	1:A:695:MET:HB3	1.80	0.62
1:A:298:PRO:HD2	1:A:299:ARG:HH11	1.65	0.62
1:B:363:ASP:HB3	1:B:372:PHE:HE1	1.65	0.62
1:B:297:GLY:HA3	1:B:299:ARG:NH1	2.15	0.61
1:B:465:ARG:HD3	1:B:471:ASP:OD2	2.00	0.61
1:A:352:ASP:O	1:A:356:PRO:HD2	2.00	0.61
1:B:345:PRO:C	1:B:346:GLU:HG2	2.19	0.61
1:A:341:HIS:HD2	1:A:705:GLU:HG3	1.64	0.61
1:B:551:PHE:HB3	1:B:553:TRP:NE1	2.15	0.61
1:A:306:TRP:NE1	1:B:336:MET:HG3	2.16	0.61
1:A:608:GLU:HG3	1:A:618:MET:CE	2.30	0.61
1:B:382:GLU:OE2	1:B:386:LYS:HG2	2.00	0.61
1:B:470:HIS:CB	1:B:528:GLY:HA3	2.31	0.60
1:A:299:ARG:H	1:A:299:ARG:HD3	1.66	0.60
1:A:487:GLN:HG3	1:A:488:PRO:HD2	1.84	0.60
1:B:593:ILE:HA	1:B:597:ASP:HB2	1.83	0.60
1:A:492:THR:HG21	1:A:496:PRO:HG3	1.84	0.59
1:B:684:SER:HB3	1:B:687:ILE:HD11	1.85	0.59
1:A:596:ARG:O	1:A:600:ASP:HB2	2.03	0.58
1:A:684:SER:HB3	1:A:687:ILE:HD11	1.85	0.58
1:B:462:PHE:HB3	1:B:463:PRO:CD	2.33	0.58
1:B:349:ARG:NH1	1:B:578:GLU:OE1	2.37	0.58
1:B:338:PRO:O	1:B:340:GLN:N	2.37	0.58
1:A:464:GLN:HB3	1:A:579:PHE:CE2	2.39	0.58
1:A:571:LEU:HB2	1:A:707:GLN:NE2	2.19	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:696:LEU:HD22	1:B:330:ILE:HD11	1.84	0.57
1:A:409:TRP:CE3	1:A:421:TRP:HA	2.39	0.57
1:B:684:SER:HB3	1:B:687:ILE:CD1	2.35	0.57
1:B:349:ARG:O	1:B:350:THR:HG23	2.05	0.57
1:B:473:ARG:HD2	1:B:580:SER:HB2	1.86	0.57
1:A:588:TYR:HE1	5:A:901:ARG:O	1.87	0.57
1:B:371:ARG:NH1	6:B:1032:HOH:O	2.37	0.56
1:A:425:GLN:HG2	1:A:448:TYR:CE2	2.41	0.56
1:B:610:VAL:O	1:B:614:MET:HG3	2.05	0.56
1:B:348:VAL:HG11	1:B:465:ARG:HG2	1.88	0.56
1:B:481:ARG:NH2	1:B:498:ASN:HD21	2.03	0.56
1:A:506:ILE:HD13	1:A:514:ARG:NH1	2.21	0.56
1:A:470:HIS:HB3	1:A:528:GLY:CA	2.26	0.55
1:A:397:LYS:HB2	1:A:400:GLU:HG3	1.88	0.55
1:B:511:LYS:C	1:B:511:LYS:HD3	2.26	0.55
1:A:551:PHE:HB3	1:A:553:TRP:NE1	2.22	0.55
1:B:478:GLN:HB2	1:B:481:ARG:CD	2.37	0.55
1:B:409:TRP:CE3	1:B:421:TRP:HA	2.42	0.55
1:A:340:GLN:O	1:A:341:HIS:CB	2.51	0.55
1:A:414:ARG:HD3	1:A:678:TRP:CD2	2.41	0.55
1:B:382:GLU:O	1:B:386:LYS:HG2	2.07	0.54
1:B:304:LYS:HG2	1:B:305:ASN:N	2.21	0.54
1:B:699:ARG:HG2	1:B:699:ARG:HH11	1.72	0.54
1:A:300:PHE:CD2	1:A:313:THR:HG21	2.43	0.54
1:B:369:ILE:O	1:B:370:LYS:HB2	2.07	0.54
1:A:299:ARG:CD	1:A:299:ARG:H	2.19	0.54
1:B:478:GLN:HB2	1:B:481:ARG:CG	2.37	0.54
1:B:716:TRP:O	1:B:716:TRP:CG	2.61	0.54
1:A:345:PRO:C	1:A:346:GLU:HG2	2.26	0.53
1:B:482:TYR:CE2	1:B:517:PHE:HB3	2.43	0.53
1:B:614:MET:HE1	1:B:632:GLU:HG3	1.90	0.53
1:B:328:GLU:OE1	1:B:328:GLU:N	2.38	0.53
1:B:479:LEU:HB2	1:B:566:ALA:HB3	1.91	0.53
1:A:394:TYR:CE2	1:A:577:LEU:HD21	2.44	0.53
1:A:350:THR:CG2	1:A:352:ASP:H	2.11	0.53
1:A:609:GLU:O	1:A:613:LYS:HG2	2.09	0.52
1:A:462:PHE:HB3	1:A:463:PRO:HD2	1.90	0.52
1:B:462:PHE:HB3	1:B:463:PRO:HD2	1.90	0.52
1:A:686:SER:CB	1:B:682:PRO:HB2	2.38	0.52
1:B:627:ASP:O	1:B:631:VAL:HG23	2.09	0.52
1:A:393:THR:OG1	1:A:394:TYR:N	2.42	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:460:THR:O	1:A:582:CYS:HA	2.10	0.52
1:B:478:GLN:HB2	1:B:481:ARG:HD2	1.91	0.51
1:A:306:TRP:CE2	1:B:336:MET:HG3	2.45	0.51
1:B:425:GLN:HG2	1:B:448:TYR:CE2	2.44	0.51
1:A:571:LEU:HD12	1:A:707:GLN:NE2	2.25	0.51
1:B:470:HIS:HB2	1:B:528:GLY:HA3	1.92	0.51
1:A:551:PHE:HB3	1:A:553:TRP:CE2	2.45	0.51
1:A:481:ARG:CZ	1:A:498:ASN:HD21	2.23	0.51
1:B:703:SER:HB3	6:B:1079:HOH:O	2.11	0.51
1:A:665:GLU:HB3	1:A:671:GLY:O	2.11	0.51
1:A:342:THR:HG22	1:A:342:THR:O	2.11	0.51
1:A:660:LYS:HE3	1:A:664:ASN:OD1	2.11	0.51
1:A:473:ARG:HD2	1:A:580:SER:O	2.10	0.50
1:B:298:PRO:HD2	1:B:299:ARG:CZ	2.41	0.50
1:B:300:PHE:O	1:B:313:THR:HG23	2.11	0.50
1:B:343:ARG:HA	1:B:343:ARG:NE	2.23	0.50
1:A:325:GLY:O	1:A:332:MET:HG3	2.11	0.50
1:A:323:GLU:HA	1:A:323:GLU:OE2	2.12	0.50
1:B:327:THR:OG1	1:B:330:ILE:HG22	2.12	0.50
1:A:507:GLN:O	1:A:507:GLN:HG2	2.13	0.49
1:B:304:LYS:O	1:B:694:GLU:HG3	2.11	0.49
1:A:336:MET:HG3	1:B:306:TRP:NE1	2.26	0.49
1:B:469:LYS:O	1:B:470:HIS:CB	2.58	0.49
1:A:593:ILE:HA	1:A:597:ASP:OD2	2.13	0.49
1:A:715:VAL:O	1:A:716:TRP:HB3	2.13	0.49
1:B:470:HIS:HB3	1:B:528:GLY:HA3	1.94	0.48
1:A:492:THR:CG2	1:A:496:PRO:HG3	2.42	0.48
1:B:481:ARG:HH21	1:B:498:ASN:HD21	1.61	0.48
1:B:462:PHE:HB2	1:B:581:ALA:HB3	1.94	0.48
1:A:301:LEU:CD1	1:B:330:ILE:HD13	2.43	0.48
1:B:659:ILE:O	1:B:663:GLU:HG3	2.13	0.48
1:A:341:HIS:CE1	1:A:343:ARG:NH2	2.82	0.48
1:A:360:GLU:O	1:A:364:GLN:HG3	2.14	0.48
1:A:299:ARG:HD3	1:A:300:PHE:H	1.79	0.48
1:B:323:GLU:HG3	1:B:340:GLN:OE1	2.13	0.48
1:B:349:ARG:HG2	1:B:349:ARG:HH11	1.79	0.48
1:A:342:THR:O	1:A:708:PRO:HD3	2.13	0.47
1:B:314:ASP:HB2	1:B:666:TYR:HE1	1.79	0.47
1:A:375:LYS:HE2	1:A:379:ASP:OD2	2.13	0.47
1:B:544:VAL:O	1:B:560:LYS:HA	2.14	0.47
1:A:451:ASN:O	1:A:451:ASN:ND2	2.47	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:304:LYS:NZ	1:A:309:ASP:OD1	2.38	0.47
1:A:481:ARG:NE	1:A:498:ASN:HD21	2.12	0.47
1:B:355:PHE:CE1	1:B:385:ASN:HB2	2.49	0.47
1:B:388:ILE:O	1:B:392:SER:HA	2.14	0.47
1:A:589:MET:HA	1:A:649:VAL:O	2.14	0.47
1:B:596:ARG:O	1:B:600:ASP:HB2	2.15	0.47
1:A:408:ALA:HA	1:A:702:PRO:O	2.14	0.47
1:A:659:ILE:O	1:A:663:GLU:HG3	2.14	0.47
1:A:304:LYS:O	1:A:694:GLU:HB2	2.15	0.47
1:A:300:PHE:HD2	1:A:313:THR:HG21	1.80	0.47
1:A:466:THR:O	1:A:467:ASP:HB2	2.13	0.47
1:A:430:ARG:O	1:A:463:PRO:HG3	2.14	0.47
1:B:611:ALA:O	1:B:615:ASP:N	2.48	0.47
1:A:709:ASP:HB3	1:A:711:TRP:CE2	2.50	0.47
1:A:343:ARG:HD3	1:A:571:LEU:HD13	1.97	0.47
1:B:389:GLU:OE1	1:B:389:GLU:HA	2.14	0.47
1:A:327:THR:HG23	1:A:330:ILE:CG2	2.46	0.46
1:A:547:ARG:O	1:A:639:TYR:HD2	1.98	0.46
1:A:503:GLU:O	1:A:507:GLN:HB2	2.15	0.46
1:A:623:SER:O	1:A:624:LEU:HB2	2.15	0.46
1:A:618:MET:HA	1:A:625:TRP:CD1	2.51	0.46
1:B:482:TYR:O	1:B:498:ASN:OD1	2.33	0.46
1:B:369:ILE:HG13	1:B:371:ARG:HG2	1.97	0.46
1:A:567:VAL:HB	1:A:584:PHE:CZ	2.50	0.46
1:B:629:ALA:O	1:B:633:ILE:HG13	2.16	0.46
1:A:694:GLU:CG	1:B:335:ILE:HA	2.45	0.46
1:A:298:PRO:HD2	1:A:299:ARG:NH1	2.30	0.46
1:B:484:GLY:HA3	1:B:495:ASP:O	2.15	0.46
1:A:551:PHE:HE1	1:A:632:GLU:HG2	1.81	0.46
1:A:462:PHE:HB3	1:A:463:PRO:CD	2.46	0.46
1:B:366:TYR:HD2	1:B:371:ARG:HB2	1.80	0.45
1:A:332:MET:HB3	1:A:335:ILE:HG13	1.98	0.45
1:A:549:PRO:HB3	1:A:639:TYR:CE1	2.51	0.45
1:B:370:LYS:O	1:B:371:ARG:HD3	2.16	0.45
1:B:510:TRP:HE1	1:B:535:GLN:HE22	1.63	0.45
1:A:349:ARG:HA	1:A:353:GLN:OE1	2.17	0.45
1:B:297:GLY:N	1:B:300:PHE:HB2	2.31	0.45
1:B:300:PHE:O	1:B:301:LEU:C	2.54	0.45
1:B:345:PRO:O	1:B:346:GLU:HG2	2.16	0.45
1:A:683:MET:HE2	1:B:627:ASP:OD1	2.16	0.45
1:B:412:ALA:O	1:B:418:ARG:CZ	2.64	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:353:GLN:O	1:A:356:PRO:HG2	2.16	0.45
1:A:678:TRP:HA	4:A:900:H4B:N1	2.31	0.45
1:A:494:GLY:O	1:A:496:PRO:HD3	2.17	0.45
1:A:479:LEU:HD22	1:A:566:ALA:HB1	1.98	0.45
1:A:502:THR:O	1:A:506:ILE:HG13	2.17	0.45
1:A:358:ALA:O	1:A:362:LEU:HG	2.17	0.45
1:A:451:ASN:O	1:A:452:LYS:HB2	2.17	0.45
1:A:565:PRO:HG2	1:A:565:PRO:O	2.16	0.45
1:A:638:LEU:HD13	1:A:650:ASP:HB3	1.99	0.45
1:A:709:ASP:HB2	1:A:712:ASN:OD1	2.17	0.44
1:B:469:LYS:NZ	1:B:469:LYS:HB3	2.32	0.44
1:A:323:GLU:OE2	1:B:329:HIS:ND1	2.50	0.44
1:A:456:ARG:HD3	6:A:1053:HOH:O	2.18	0.44
1:A:365:TYR:O	1:A:368:SER:OG	2.33	0.44
1:A:548:HIS:HB2	1:A:554:PHE:CD1	2.53	0.44
1:B:402:ILE:O	1:B:406:LYS:HG3	2.18	0.44
1:B:619:ARG:HG2	1:B:620:LYS:HG3	1.99	0.44
1:B:348:VAL:HG21	1:B:466:THR:O	2.18	0.44
1:B:512:ALA:HA	1:B:513:PRO:HD3	1.82	0.44
1:A:470:HIS:HB2	1:A:527:ASN:O	2.17	0.44
1:B:565:PRO:HB3	1:B:588:TYR:CZ	2.53	0.44
1:B:551:PHE:HB3	1:B:553:TRP:CE2	2.52	0.44
1:B:322:LEU:HB2	1:B:699:ARG:HB2	1.99	0.44
1:A:569:ASN:H	1:A:569:ASN:HD22	1.65	0.44
1:A:335:ILE:HD13	1:B:694:GLU:HB3	2.00	0.44
1:B:569:ASN:HD22	1:B:569:ASN:H	1.66	0.44
1:A:341:HIS:NE2	1:A:343:ARG:NH1	2.66	0.43
1:A:599:CYS:O	1:A:600:ASP:C	2.56	0.43
1:A:355:PHE:N	1:A:356:PRO:HD2	2.33	0.43
1:A:548:HIS:ND1	1:A:549:PRO:HD2	2.33	0.43
1:A:553:TRP:HZ3	1:A:557:LEU:HD11	1.84	0.43
1:A:472:PHE:O	1:A:473:ARG:HG2	2.18	0.43
1:B:678:TRP:HA	4:B:920:H4B:N1	2.33	0.43
1:A:682:PRO:HB2	1:B:686:SER:OG	2.17	0.43
1:A:545:PRO:HD2	1:A:644:ASP:OD1	2.18	0.43
1:A:442:ILE:O	1:A:446:VAL:HG23	2.19	0.43
1:A:344:LYS:HD3	1:A:346:GLU:CG	2.38	0.43
1:B:397:LYS:HD2	6:B:1096:HOH:O	2.18	0.43
1:A:341:HIS:NE2	1:A:343:ARG:CZ	2.82	0.42
1:B:298:PRO:HG2	1:B:299:ARG:HD3	2.01	0.42
1:A:560:LYS:HG2	1:A:561:TRP:N	2.33	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:592:GLU:OE2	5:B:921:ARG:HB2	2.19	0.42
1:B:298:PRO:HG2	1:B:299:ARG:CD	2.49	0.42
1:B:668:CYS:SG	1:B:669:ARG:N	2.93	0.42
1:A:384:VAL:HG13	1:A:394:TYR:CD1	2.54	0.42
1:A:633:ILE:O	1:A:636:ALA:HB3	2.20	0.42
1:B:547:ARG:NH2	1:B:643:SER:HB3	2.34	0.42
1:B:375:LYS:HE2	1:B:375:LYS:HA	2.01	0.42
1:B:470:HIS:HA	6:B:1075:HOH:O	2.19	0.42
1:B:479:LEU:HD22	1:B:566:ALA:HB1	2.00	0.42
1:B:487:GLN:NE2	1:B:493:LEU:HB2	2.33	0.42
1:A:391:THR:O	1:A:392:SER:HB2	2.20	0.42
1:A:322:LEU:HD13	1:A:699:ARG:NH2	2.34	0.42
1:A:362:LEU:HD11	1:A:384:VAL:HG21	2.02	0.42
1:A:684:SER:HB3	1:A:687:ILE:CD1	2.50	0.42
1:B:589:MET:HA	1:B:649:VAL:O	2.19	0.42
1:A:326:CYS:SG	1:A:331:CYS:HA	2.59	0.42
1:A:341:HIS:C	1:A:343:ARG:H	2.23	0.42
1:A:571:LEU:C	1:A:571:LEU:HD23	2.41	0.42
1:A:402:ILE:HA	1:A:426:VAL:HG21	2.02	0.42
1:B:299:ARG:HD3	1:B:299:ARG:N	2.34	0.42
1:B:348:VAL:O	1:B:349:ARG:O	2.38	0.42
1:A:434:THR:HB	6:A:978:HOH:O	2.20	0.42
1:B:478:GLN:HA	1:B:566:ALA:O	2.20	0.41
1:B:366:TYR:CD2	1:B:369:ILE:HD11	2.55	0.41
1:A:582:CYS:N	1:A:583:PRO:CD	2.82	0.41
1:B:495:ASP:HA	1:B:496:PRO:HD3	1.92	0.41
1:B:571:LEU:HD23	1:B:571:LEU:C	2.40	0.41
1:A:582:CYS:O	1:A:583:PRO:C	2.58	0.41
1:B:414:ARG:HD3	1:B:678:TRP:CD2	2.55	0.41
1:A:512:ALA:HA	1:A:513:PRO:HD3	1.86	0.41
1:B:420:GLN:HB3	6:B:995:HOH:O	2.19	0.41
1:A:345:PRO:HB3	1:A:713:THR:HG22	2.02	0.41
1:B:380:ARG:HD2	1:B:380:ARG:O	2.20	0.41
1:A:455:LEU:HB2	1:A:647:THR:HB	2.01	0.41
1:A:684:SER:HB3	1:A:687:ILE:CG1	2.50	0.41
1:B:388:ILE:O	1:B:392:SER:N	2.53	0.41
1:A:350:THR:CG2	1:A:351:LYS:N	2.84	0.41
1:A:569:ASN:N	1:A:569:ASN:HD22	2.18	0.41
1:A:299:ARG:HG2	1:A:300:PHE:HD1	1.86	0.41
1:B:565:PRO:O	1:B:565:PRO:HG2	2.20	0.41
1:B:595:VAL:O	1:B:599:CYS:HB2	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:516:ARG:HD3	1:B:517:PHE:CE1	2.56	0.41
1:B:348:VAL:HB	1:B:349:ARG:H	1.74	0.41
1:B:556:ASP:OD1	1:B:556:ASP:N	2.54	0.41
1:A:338:PRO:O	1:A:339:SER:HB2	2.21	0.41
1:A:700:LEU:O	1:A:703:SER:HB3	2.21	0.41
1:A:299:ARG:O	1:A:317:HIS:HE1	2.04	0.41
1:A:396:LEU:HG	1:A:577:LEU:CD1	2.51	0.41
1:B:351:LYS:HB3	1:B:351:LYS:HE2	1.76	0.41
1:B:650:ASP:OD2	1:B:652:HIS:HB2	2.21	0.40
1:A:516:ARG:HG3	6:A:1083:HOH:O	2.21	0.40
1:A:694:GLU:CG	1:B:335:ILE:HD13	2.46	0.40
1:A:631:VAL:O	1:A:635:ILE:HG13	2.22	0.40
1:B:342:THR:O	1:B:343:ARG:CG	2.67	0.40
1:A:666:TYR:HA	1:A:671:GLY:H	1.86	0.40
1:B:666:TYR:CE1	1:B:671:GLY:HA2	2.56	0.40
1:B:457:SER:HA	1:B:585:SER:O	2.21	0.40
1:B:621:THR:O	1:B:624:LEU:HD23	2.20	0.40
1:A:556:ASP:N	1:A:556:ASP:OD1	2.54	0.40
1:A:537:PRO:O	1:A:540:LEU:HB2	2.22	0.40
1:B:536:ILE:HA	1:B:537:PRO:HD2	1.91	0.40
1:B:347:ASP:OD1	1:B:348:VAL:N	2.55	0.40
1:B:612:LYS:O	1:B:615:ASP:N	2.54	0.40
1:A:374:SER:O	1:A:377:HIS:HB3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	418/420 (100%)	373 (89%)	39 (9%)	6 (1%)	14	24
1	B	418/420 (100%)	366 (88%)	39 (9%)	13 (3%)	5	7

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	836/840 (100%)	739 (88%)	78 (9%)	19 (2%)	8	12

All (19) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	341	HIS
1	A	347	ASP
1	A	467	ASP
1	B	299	ARG
1	B	339	SER
1	B	343	ARG
1	B	349	ARG
1	B	301	LEU
1	B	341	HIS
1	B	345	PRO
1	B	467	ASP
1	B	470	HIS
1	A	333	GLY
1	A	343	ARG
1	A	393	THR
1	B	346	GLU
1	B	455	LEU
1	B	608	GLU
1	B	348	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	375/375 (100%)	339 (90%)	36 (10%)	10	19
1	B	375/375 (100%)	342 (91%)	33 (9%)	12	23
All	All	750/750 (100%)	681 (91%)	69 (9%)	11	21

All (69) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	299	ARG
1	A	315	THR
1	A	321	THR
1	A	327	THR
1	A	332	MET
1	A	336	MET
1	A	337	LEU
1	A	341	HIS
1	A	343	ARG
1	A	346	GLU
1	A	350	THR
1	A	375	LYS
1	A	452	LYS
1	A	477	SER
1	A	479	LEU
1	A	487	GLN
1	A	489	ASP
1	A	492	THR
1	A	503	GLU
1	A	538	PRO
1	A	547	ARG
1	A	552	ASP
1	A	560	LYS
1	A	569	ASN
1	A	600	ASP
1	A	601	ASN
1	A	602	SER
1	A	622	SER
1	A	628	GLN
1	A	632	GLU
1	A	645	LYS
1	A	660	LYS
1	A	683	MET
1	A	701	THR
1	A	713	THR
1	A	715	VAL
1	B	299	ARG
1	B	303	VAL
1	B	321	THR
1	B	336	MET
1	B	342	THR
1	B	343	ARG
1	B	351	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	352	ASP
1	B	375	LYS
1	B	382	GLU
1	B	398	ASP
1	B	457	SER
1	B	465	ARG
1	B	467	ASP
1	B	469	LYS
1	B	479	LEU
1	B	487	GLN
1	B	489	ASP
1	B	491	SER
1	B	493	LEU
1	B	511	LYS
1	B	527	ASN
1	B	532	GLU
1	B	547	ARG
1	B	556	ASP
1	B	569	ASN
1	B	573	GLU
1	B	580	SER
1	B	622	SER
1	B	643	SER
1	B	664	ASN
1	B	701	THR
1	B	716	TRP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	341	HIS
1	A	364	GLN
1	A	451	ASN
1	A	478	GLN
1	A	498	ASN
1	A	500	GLN
1	A	527	ASN
1	A	569	ASN
1	A	628	GLN
1	A	634	ASN
1	A	707	GLN
1	B	364	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	440	ASN
1	B	451	ASN
1	B	470	HIS
1	B	478	GLN
1	B	487	GLN
1	B	498	ASN
1	B	535	GLN
1	B	569	ASN
1	B	634	ASN
1	B	664	ASN
1	B	707	GLN
1	B	712	ASN
1	B	714	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 1 is monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	HEM	A	800	1	30,50,50	2.68	8 (26%)	24,82,82	2.21	8 (33%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	H4B	A	900	-	13,18,18	2.35	4 (30%)	11,26,26	4.16	6 (54%)
5	ARG	A	901	-	5,11,11	0.23	0	3,13,13	0.34	0
3	HEM	B	800	1	30,50,50	2.45	8 (26%)	24,82,82	2.11	8 (33%)
4	H4B	B	920	-	13,18,18	2.16	4 (30%)	11,26,26	4.21	6 (54%)
5	ARG	B	921	-	5,11,11	0.22	0	3,13,13	0.32	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HEM	A	800	1	-	0/10/54/54	0/0/8/8
4	H4B	A	900	-	-	0/8/17/17	0/2/2/2
5	ARG	A	901	-	-	0/5/11/11	0/0/0/0
3	HEM	B	800	1	-	0/10/54/54	0/0/8/8
4	H4B	B	920	-	-	0/8/17/17	0/2/2/2
5	ARG	B	921	-	-	0/5/11/11	0/0/0/0

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	800	HEM	C3B-CAB	-6.21	1.39	1.51
3	A	800	HEM	C3B-CAB	-6.14	1.39	1.51
3	A	800	HEM	C2D-C3D	-5.94	1.36	1.54
3	B	800	HEM	C3C-CAC	-5.70	1.40	1.51
3	A	800	HEM	C3C-CAC	-5.33	1.41	1.51
3	B	800	HEM	C2D-C3D	-4.93	1.39	1.54
3	B	800	HEM	C3B-C4B	-4.76	1.47	1.51
3	A	800	HEM	C2C-C1C	-4.61	1.43	1.52
3	A	800	HEM	C3B-C4B	-4.25	1.48	1.51
3	A	800	HEM	C3D-C4D	-4.19	1.46	1.51
3	B	800	HEM	C2C-C1C	-2.56	1.47	1.52
3	B	800	HEM	C3D-C4D	-2.49	1.48	1.51
3	A	800	HEM	C2D-C1D	-2.03	1.45	1.51
4	B	920	H4B	C4A-N5	2.92	1.44	1.38
4	B	920	H4B	C8A-N1	2.99	1.40	1.34
4	B	920	H4B	C6-N5	3.01	1.51	1.45
4	A	900	H4B	C6-N5	3.16	1.52	1.45
3	B	800	HEM	C1C-NC	3.17	1.39	1.36
4	A	900	H4B	C8A-N1	3.22	1.40	1.34
4	A	900	H4B	C4A-N5	3.85	1.46	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	800	HEM	FE-NC	4.73	2.14	1.95
4	B	920	H4B	C4-N3	5.14	1.42	1.33
4	A	900	H4B	C4-N3	5.32	1.43	1.33
3	A	800	HEM	FE-NC	5.48	2.17	1.95

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	920	H4B	N3-C2-N1	-5.09	117.20	125.53
4	A	900	H4B	N3-C2-N1	-4.93	117.45	125.53
3	A	800	HEM	CAA-C2A-C3A	-2.52	121.81	129.00
3	B	800	HEM	C1D-CHD-C4C	2.29	129.64	125.82
3	A	800	HEM	CMD-C2D-C3D	2.60	125.87	114.35
3	B	800	HEM	CBA-CAA-C2A	2.65	117.28	112.53
3	B	800	HEM	C2D-C3D-C4D	2.69	106.06	101.50
3	A	800	HEM	C2D-C3D-C4D	3.06	106.69	101.50
4	A	900	H4B	N2-C2-N1	3.11	122.35	117.20
3	B	800	HEM	CMD-C2D-C3D	3.22	128.59	114.35
4	B	920	H4B	C4A-C8A-N8	3.25	122.26	118.43
4	A	900	H4B	C4A-C8A-N8	3.34	122.37	118.43
3	B	800	HEM	CMC-C2C-C3C	3.40	125.02	116.53
4	B	920	H4B	N2-C2-N1	3.41	122.85	117.20
4	A	900	H4B	C2-N1-C8A	3.54	122.50	114.54
4	B	920	H4B	C2-N1-C8A	3.54	122.50	114.54
3	A	800	HEM	CAA-C2A-C1A	3.62	130.94	127.01
3	A	800	HEM	CAD-C3D-C2D	3.72	123.92	113.22
3	B	800	HEM	CMB-C2B-C3B	3.84	126.11	116.53
3	A	800	HEM	CMC-C2C-C3C	4.06	126.67	116.53
3	B	800	HEM	CAD-C3D-C4D	4.36	127.84	112.47
3	B	800	HEM	CAD-C3D-C2D	4.48	126.10	113.22
3	A	800	HEM	CMB-C2B-C3B	4.53	127.85	116.53
3	A	800	HEM	CAD-C3D-C4D	4.77	129.28	112.47
4	B	920	H4B	C4-N3-C2	6.92	125.54	115.94
4	A	900	H4B	C4-N3-C2	7.09	125.78	115.94
4	A	900	H4B	C4-C4A-C8A	8.82	122.55	114.56
4	B	920	H4B	C4-C4A-C8A	8.98	122.69	114.56

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	900	H4B	1	0
5	A	901	ARG	1	0
3	B	800	HEM	1	0
4	B	920	H4B	1	0
5	B	921	ARG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	420/420 (100%)	0.04	26 (6%) 24 27	12, 33, 73, 136	0
1	B	420/420 (100%)	-0.13	19 (4%) 37 42	13, 30, 72, 130	0
All	All	840/840 (100%)	-0.04	45 (5%) 29 33	12, 32, 73, 136	0

All (45) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	298	PRO	11.6
1	A	345	PRO	10.2
1	A	297	GLY	10.2
1	B	342	THR	8.9
1	B	297	GLY	8.8
1	B	345	PRO	7.6
1	A	344	LYS	7.5
1	A	342	THR	7.5
1	B	343	ARG	7.1
1	A	298	PRO	6.8
1	B	346	GLU	6.5
1	A	341	HIS	6.1
1	A	340	GLN	5.4
1	A	346	GLU	5.3
1	B	299	ARG	5.3
1	B	347	ASP	5.2
1	B	348	VAL	4.5
1	A	343	ARG	4.5
1	B	469	LYS	4.5
1	A	716	TRP	4.4
1	A	468	GLY	4.2
1	A	347	ASP	4.2
1	A	489	ASP	3.5
1	B	344	LYS	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	339	SER	3.4
1	B	341	HIS	3.3
1	A	299	ARG	3.3
1	B	340	GLN	3.2
1	A	348	VAL	3.0
1	B	467	ASP	2.9
1	A	667	ARG	2.8
1	A	352	ASP	2.7
1	A	467	ASP	2.6
1	A	470	HIS	2.5
1	B	716	TRP	2.4
1	A	469	LYS	2.4
1	A	633	ILE	2.4
1	A	349	ARG	2.3
1	B	300	PHE	2.3
1	A	488	PRO	2.3
1	A	323	GLU	2.1
1	B	715	VAL	2.1
1	B	352	ASP	2.1
1	A	715	VAL	2.1
1	B	389	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	H4B	A	900	17/17	0.94	0.12	0.75	13,23,32,35	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
5	ARG	B	921	12/12	0.95	0.12	-0.18	18,27,48,53	0
5	ARG	A	901	12/12	0.96	0.12	-0.28	23,29,38,42	0
3	HEM	A	800	43/43	0.96	0.12	-0.58	10,24,36,39	0
3	HEM	B	800	43/43	0.98	0.11	-0.74	9,20,28,37	0
4	H4B	B	920	17/17	0.96	0.09	-1.33	9,16,26,29	0
2	ZN	A	950	1/1	0.99	0.06	-4.83	29,29,29,29	0

6.5 Other polymers [i](#)

There are no such residues in this entry.