



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 04:39 PM GMT

PDB ID : 4FMC  
Title : EspG-Rab1 complex  
Authors : Shao, F.; Zhu, Y.  
Deposited on : 2012-06-16  
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2393 (2.80-2.80)
Clashscore	102246	2827 (2.80-2.80)
Ramachandran outliers	100387	2782 (2.80-2.80)
Sidechain outliers	100360	2784 (2.80-2.80)
RSRZ outliers	91569	2404 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	351	<div> <div>73%</div> <div>22%</div> <div>5%</div> </div>
1	C	351	<div> <div>72%</div> <div>26%</div> </div>
1	E	351	<div> <div>9%</div> <div>70%</div> <div>26%</div> </div>
2	B	171	<div> <div>81%</div> <div>16%</div> </div>
2	D	171	<div> <div>70%</div> <div>25%</div> <div>5%</div> </div>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
3	F	117	<p>31% 44% 16% 38%</p>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	PGE	A	401	-	-	-	X

## 2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 11470 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ROrf2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	351	Total	C	N	O	S	0	0	0
			2722	1684	478	544	16			
1	C	350	Total	C	N	O	S	0	0	0
			2713	1679	477	541	16			
1	E	348	Total	C	N	O	S	0	0	0
			2698	1670	474	538	16			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	123	ASN	ASP	SEE REMARK 999	UNP O52121
A	244	THR	SER	SEE REMARK 999	UNP O52121
A	269	LYS	ASN	SEE REMARK 999	UNP O52121
A	376	ILE	THR	SEE REMARK 999	UNP O52121
C	123	ASN	ASP	SEE REMARK 999	UNP O52121
C	244	THR	SER	SEE REMARK 999	UNP O52121
C	269	LYS	ASN	SEE REMARK 999	UNP O52121
C	376	ILE	THR	SEE REMARK 999	UNP O52121
E	123	ASN	ASP	SEE REMARK 999	UNP O52121
E	244	THR	SER	SEE REMARK 999	UNP O52121
E	269	LYS	ASN	SEE REMARK 999	UNP O52121
E	376	ILE	THR	SEE REMARK 999	UNP O52121

- Molecule 2 is a protein called Ras-related protein Rab-1A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	171	Total	C	N	O	S	0	0	0
			1369	873	223	268	5			
2	D	171	Total	C	N	O	S	0	0	0
			1369	873	223	268	5			


- Molecule 3 is a protein called Ras-related protein Rab-1A.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	F	73	Total	C	N	O	0	0	0
			504	307	89	108			

There are 15 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
F	116	ASN	-	EXPRESSION TAG	UNP P62820
F	117	VAL	-	EXPRESSION TAG	UNP P62820
F	118	ASN	-	EXPRESSION TAG	UNP P62820
F	119	LYS	-	EXPRESSION TAG	UNP P62820
F	120	LEU	-	EXPRESSION TAG	UNP P62820
F	121	LEU	-	EXPRESSION TAG	UNP P62820
F	122	VAL	-	EXPRESSION TAG	UNP P62820
F	123	GLY	-	EXPRESSION TAG	UNP P62820
F	124	ASN	-	EXPRESSION TAG	UNP P62820
F	125	LYS	-	EXPRESSION TAG	UNP P62820
F	126	CYS	-	EXPRESSION TAG	UNP P62820
F	127	ASP	-	EXPRESSION TAG	UNP P62820
F	128	LEU	-	EXPRESSION TAG	UNP P62820
F	129	THR	-	EXPRESSION TAG	UNP P62820
F	130	THR	-	EXPRESSION TAG	UNP P62820

- Molecule 4 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: C<sub>6</sub>H<sub>14</sub>O<sub>4</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			10	6	4		

- Molecule 5 is ALUMINUM FLUORIDE (three-letter code: AF3) (formula:  $\text{AlF}_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	Al	F	0	0
			4	1	3		
5	D	1	Total	Al	F	0	0
			4	1	3		
5	F	1	Total	Al	F	0	0
			3	1	2		

- Molecule 6 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula:  $\text{C}_{10}\text{H}_{15}\text{N}_5\text{O}_{11}\text{P}_2$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	B	1	Total	C	N	O	P	0	0
			28	10	5	11	2		
6	D	1	Total	C	N	O	P	0	0
			28	10	5	11	2		
6	F	1	Total	C	O	P		0	0
			10	1	7	2			

- Molecule 7 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	B	1	Total	Mg	0	0
			1	1		
7	D	1	Total	Mg	0	0
			1	1		
7	F	1	Total	Mg	0	0
			1	1		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	1	Total	O	0	0
			1	1		
8	B	2	Total	O	0	0
			2	2		
8	C	1	Total	O	0	0
			1	1		
8	D	1	Total	O	0	0
			1	1		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: ROrf2




#### • Molecule 1: ROrf2




#### • Molecule 1: ROrf2










• Molecule 2: Ras-related protein Rab-1A



• Molecule 2: Ras-related protein Rab-1A



• Molecule 3: Ras-related protein Rab-1A



## 4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	107.57Å 152.71Å 226.71Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.80 49.67 – 2.76	Depositor EDS
% Data completeness (in resolution range)	99.0 (50.00-2.80) 97.2 (49.67-2.76)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.98 (at 2.77Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, $R_{free}$	0.225 , 0.277 0.223 , 0.270	Depositor DCC
$R_{free}$ test set	2336 reflections (5.36%)	DCC
Wilson B-factor (Å <sup>2</sup> )	74.3	Xtriage
Anisotropy	0.504	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.29 , 52.3	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 47165 reflections	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	11470	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	104.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.35% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GDP, MG, PGE, AF3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.64	0/2770	0.74	2/3761 (0.1%)
1	C	0.49	0/2761	0.69	1/3749 (0.0%)
1	E	0.45	0/2744	0.64	3/3722 (0.1%)
2	B	0.62	0/1392	0.73	0/1879
2	D	0.51	0/1392	0.65	0/1879
3	F	0.42	0/501	0.75	1/671 (0.1%)
All	All	0.54	0/11560	0.69	7/15661 (0.0%)

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	364	ARG	NE-CZ-NH1	7.36	123.98	120.30
1	E	302	LEU	CA-CB-CG	5.68	128.36	115.30
3	F	112	TYR	N-CA-C	5.63	126.19	111.00
1	E	383	ALA	N-CA-CB	-5.57	102.30	110.10
1	A	364	ARG	NE-CZ-NH2	-5.54	117.53	120.30
1	C	159	SER	N-CA-C	5.45	125.72	111.00
1	E	136	GLN	CB-CA-C	-5.09	100.21	110.40

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2722	0	2686	76	0
1	C	2713	0	2680	63	0
1	E	2698	0	2663	69	0
2	B	1369	0	1364	21	0
2	D	1369	0	1364	38	0
3	F	504	0	417	13	0
4	A	10	0	14	1	0
5	B	4	0	0	0	0
5	D	4	0	0	0	0
5	F	3	0	0	0	0
6	B	28	0	12	1	0
6	D	28	0	12	6	0
6	F	10	0	0	1	0
7	B	1	0	0	0	0
7	D	1	0	0	0	0
7	F	1	0	0	0	0
8	A	1	0	0	0	0
8	B	2	0	0	0	0
8	C	1	0	0	0	0
8	D	1	0	0	0	0
All	All	11470	0	11212	267	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (267) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:63:TRP:CD1	1:A:158:LEU:HD21	1.57	1.39
1:A:202:ILE:HD11	1:A:377:ILE:HG12	1.33	1.10
1:C:62:LEU:HD12	1:C:62:LEU:O	1.51	1.09
1:A:63:TRP:CD1	1:A:158:LEU:CD2	2.34	1.09
1:A:158:LEU:O	1:A:159:SER:HB2	1.52	1.08
1:C:396:GLN:HA	1:C:396:GLN:HE21	1.16	1.05
1:A:202:ILE:HD13	1:A:380:MET:HE1	1.47	0.96
1:A:63:TRP:NE1	1:A:158:LEU:HD21	1.81	0.96
2:D:73:PHE:O	2:D:77:THR:HB	1.68	0.91
1:E:123:ASN:O	1:E:124:ASN:HB2	1.70	0.90
1:A:137:ASN:HD22	1:A:137:ASN:H	1.16	0.90
3:F:114:SER:O	3:F:115:GLU:HG3	1.74	0.88
1:A:160:GLU:O	1:A:160:GLU:HG3	1.71	0.88
2:B:71:GLU:OE1	2:B:72:ARG:HD2	1.74	0.88

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:382:ARG:HG3	1:E:382:ARG:HH21	1.40	0.85
1:E:314:ASN:HD22	1:E:321:THR:HG21	1.42	0.84
1:A:323:ASN:HD21	2:B:44:ILE:H	1.25	0.84
1:C:61:GLY:CA	1:C:137:ASN:HA	2.07	0.84
1:A:202:ILE:HD13	1:A:380:MET:CE	2.07	0.83
1:C:396:GLN:HA	1:C:396:GLN:NE2	1.96	0.81
1:E:88:LEU:HB3	1:E:89:PRO:HD2	1.62	0.80
1:A:134:ASN:H	1:A:137:ASN:HD21	1.26	0.79
1:C:62:LEU:HD12	1:C:62:LEU:C	2.00	0.79
1:C:61:GLY:HA2	1:C:137:ASN:HA	1.66	0.78
1:E:395:LEU:O	1:E:396:GLN:HB2	1.82	0.78
1:A:63:TRP:HD1	1:A:158:LEU:CD2	1.92	0.78
1:C:61:GLY:O	1:C:64:ASN:HB2	1.83	0.78
1:A:158:LEU:O	1:A:159:SER:CB	2.32	0.77
1:C:134:ASN:H	1:C:137:ASN:HD21	1.30	0.77
1:A:161:MET:O	1:A:395:LEU:HD22	1.86	0.76
1:A:121:THR:HB	1:A:123:ASN:ND2	2.02	0.75
1:A:121:THR:CB	1:A:123:ASN:HD21	2.02	0.73
1:A:376:ILE:HG12	1:A:379:GLU:HB2	1.72	0.72
1:C:179:LEU:O	1:C:364:ARG:NH2	2.23	0.71
1:E:377:ILE:O	1:E:381:VAL:HG23	1.90	0.71
1:A:343:HIS:CD2	1:A:364:ARG:HG3	2.25	0.70
1:A:314:ASN:HD22	1:A:321:THR:HG21	1.55	0.70
2:B:15:LEU:HD12	2:B:65:TRP:HB2	1.73	0.69
1:C:306:ARG:NH1	1:C:349:MET:O	2.26	0.68
1:A:160:GLU:CG	1:A:160:GLU:O	2.41	0.68
1:C:323:ASN:HD21	2:D:44:ILE:H	1.42	0.68
2:D:15:LEU:HD12	2:D:65:TRP:HB2	1.77	0.67
1:E:191:ASP:HB3	1:E:194:SER:HB2	1.77	0.66
1:C:61:GLY:HA3	1:C:137:ASN:HA	1.78	0.64
1:E:323:ASN:HD21	3:F:44:ILE:H	1.44	0.64
1:A:254:ARG:NH2	1:A:276:GLU:OE2	2.30	0.64
1:A:137:ASN:ND2	1:A:137:ASN:H	1.92	0.64
1:E:314:ASN:ND2	1:E:321:THR:HG21	2.14	0.63
1:A:121:THR:HB	1:A:123:ASN:HD21	1.62	0.62
2:B:70:GLN:NE2	2:B:72:ARG:H	1.97	0.62
1:C:367:TYR:HB3	1:C:386:PRO:HA	1.81	0.62
1:C:72:ARG:HA	1:C:75:PHE:CD2	2.34	0.62
1:A:82:LEU:HG	1:A:95:VAL:HG11	1.82	0.61
1:A:88:LEU:HB3	1:A:89:PRO:CD	2.30	0.61
1:A:204:MET:SD	1:A:239:THR:HB	2.40	0.61

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:220:VAL:HG13	1:A:265:SER:O	2.01	0.60
1:E:204:MET:O	1:E:208:ARG:HD3	2.01	0.60
1:E:294:SER:O	1:E:297:VAL:HG23	2.02	0.60
1:E:166:THR:HG22	1:E:170:ARG:HD2	1.83	0.60
1:E:133:SER:HB3	1:E:140:LEU:HD22	1.84	0.60
1:E:235:GLY:HA3	1:E:244:THR:HG23	1.83	0.60
1:A:121:THR:CB	1:A:123:ASN:ND2	2.64	0.60
1:A:92:LEU:HD11	1:A:146:ASP:O	2.01	0.59
1:E:63:TRP:CZ3	1:E:142:SER:HB3	2.37	0.59
2:B:70:GLN:HE22	2:B:72:ARG:HG2	1.66	0.59
1:A:332:GLN:HA	1:A:337:ASN:O	2.02	0.59
1:C:61:GLY:HA2	1:C:137:ASN:CA	2.32	0.58
1:A:69:ARG:HA	1:A:72:ARG:HG3	1.86	0.58
1:C:343:HIS:CD2	1:C:364:ARG:HG3	2.38	0.58
1:A:82:LEU:HG	1:A:95:VAL:CG1	2.34	0.58
2:D:82:ARG:O	2:D:82:ARG:HD2	2.04	0.58
1:C:62:LEU:CD1	1:C:62:LEU:C	2.71	0.57
1:A:137:ASN:HD22	1:A:137:ASN:N	1.86	0.57
1:E:88:LEU:HB3	1:E:89:PRO:CD	2.34	0.57
1:C:62:LEU:CD1	1:C:62:LEU:O	2.40	0.57
3:F:70:GLN:OE1	3:F:71:GLU:N	2.37	0.57
1:E:186:HIS:CE1	1:E:191:ASP:OD1	2.58	0.57
1:C:377:ILE:O	1:C:381:VAL:HG23	2.05	0.57
1:C:61:GLY:O	1:C:64:ASN:CB	2.51	0.57
1:E:208:ARG:HB3	3:F:40:TYR:O	2.05	0.57
2:D:15:LEU:CD1	2:D:65:TRP:HB2	2.35	0.57
1:E:133:SER:CB	1:E:140:LEU:HD22	2.35	0.56
1:A:181:THR:HG23	1:A:364:ARG:NH2	2.19	0.56
1:C:343:HIS:NE2	1:C:364:ARG:NH1	2.52	0.56
1:E:244:THR:OG1	1:E:247:VAL:HG23	2.05	0.56
2:D:156:LYS:HB2	6:D:202:GDP:N1	2.21	0.56
2:D:103:LYS:HA	2:D:103:LYS:HE3	1.88	0.56
1:A:312:GLU:OE2	2:B:65:TRP:HH2	1.88	0.55
1:A:233:ALA:HB1	1:A:252:ILE:HG23	1.87	0.55
1:E:106:ARG:HG3	1:E:118:GLU:HB3	1.87	0.55
1:E:382:ARG:HH21	1:E:382:ARG:CG	2.15	0.55
1:A:343:HIS:NE2	1:A:364:ARG:HG3	2.22	0.55
1:C:353:ASP:O	1:C:355:PRO:HD3	2.07	0.55
1:E:170:ARG:NH2	1:E:212:ASN:O	2.40	0.54
1:C:209:GLY:HA3	1:C:291:PHE:CE1	2.42	0.54
1:A:123:ASN:HD22	1:A:123:ASN:N	2.05	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:343:HIS:CD2	1:E:364:ARG:HG3	2.42	0.54
2:B:73:PHE:O	2:B:77:THR:HB	2.07	0.54
1:E:294:SER:O	1:E:296:ASN:N	2.41	0.54
1:C:134:ASN:H	1:C:137:ASN:ND2	2.01	0.54
1:E:294:SER:C	1:E:296:ASN:N	2.59	0.54
1:E:163:LEU:HD21	1:E:172:LEU:HD22	1.89	0.54
2:D:125:LYS:HG2	6:D:202:GDP:C6	2.43	0.54
2:D:71:GLU:HA	2:D:74:ARG:HD3	1.90	0.54
1:A:68:SER:O	1:A:69:ARG:HB3	2.08	0.53
1:E:294:SER:C	1:E:296:ASN:H	2.11	0.53
1:E:382:ARG:HG3	1:E:382:ARG:NH2	2.14	0.53
3:F:23:GLY:O	3:F:27:LEU:HB2	2.08	0.53
1:A:63:TRP:HD1	1:A:158:LEU:HD23	1.73	0.53
2:B:28:LEU:HD21	2:B:49:LYS:HB2	1.91	0.53
2:D:74:ARG:HG2	2:D:74:ARG:HH11	1.74	0.53
1:A:70:SER:O	1:A:73:GLN:HB2	2.08	0.53
1:A:234:LEU:HD23	1:A:252:ILE:HD11	1.90	0.53
1:E:137:ASN:H	1:E:137:ASN:HD22	1.56	0.53
1:E:304:HIS:CG	1:E:305:GLU:N	2.77	0.53
1:A:333:SER:OG	1:A:337:ASN:HB2	2.08	0.52
1:A:324:ALA:HB3	2:B:41:ILE:HD11	1.92	0.52
2:D:70:GLN:NE2	2:D:72:ARG:H	2.07	0.52
1:E:88:LEU:CB	1:E:89:PRO:HD2	2.38	0.52
2:B:15:LEU:CD1	2:B:65:TRP:HB2	2.37	0.51
2:D:70:GLN:HE22	2:D:72:ARG:HG2	1.75	0.51
2:D:125:LYS:HG2	6:D:202:GDP:C5	2.46	0.51
1:C:103:SER:HB3	1:C:122:PRO:HD3	1.92	0.51
1:E:134:ASN:H	1:E:137:ASN:HD21	1.59	0.51
2:D:88:ILE:HG13	2:D:168:MET:HE3	1.92	0.50
1:C:257:ALA:HB1	1:C:275:VAL:HA	1.94	0.50
1:C:317:ARG:O	1:C:319:LEU:HD12	2.11	0.50
3:F:71:GLU:HA	3:F:74:ARG:CD	2.42	0.50
2:D:30:ARG:O	2:D:34:ASP:HA	2.11	0.49
1:C:268:ASP:HA	1:C:271:LYS:HB2	1.94	0.49
1:E:88:LEU:HB2	1:E:91:GLU:HG3	1.94	0.49
1:C:68:SER:O	1:C:69:ARG:CB	2.59	0.49
1:C:155:HIS:HE1	1:C:180:SER:O	1.96	0.49
1:C:315:ALA:C	1:C:317:ARG:H	2.16	0.49
2:D:161:VAL:O	2:D:164:SER:HB2	2.13	0.49
1:C:199:PHE:O	1:C:202:ILE:HG12	2.12	0.49
2:B:70:GLN:HE22	2:B:72:ARG:H	1.59	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:199:PHE:O	1:A:202:ILE:HG12	2.12	0.49
1:A:207:CYS:CB	1:A:239:THR:HG22	2.43	0.49
3:F:114:SER:O	3:F:115:GLU:CG	2.54	0.49
1:C:304:HIS:HD2	2:D:80:TYR:OH	1.95	0.49
1:E:55:LEU:HD23	1:E:56:LYS:HE3	1.95	0.49
1:A:207:CYS:HB3	1:A:239:THR:HG22	1.94	0.49
1:C:133:SER:CB	1:C:140:LEU:HD22	2.43	0.48
1:C:333:SER:OG	1:C:337:ASN:HB2	2.13	0.48
1:A:281:PRO:HD2	1:A:282:GLU:OE2	2.13	0.48
1:E:85:VAL:HG12	1:E:331:SER:CB	2.43	0.48
1:E:156:ARG:HA	1:E:394:TYR:O	2.13	0.48
1:A:202:ILE:HG21	1:A:380:MET:HE1	1.95	0.48
1:A:162:ASP:OD2	1:A:163:LEU:N	2.46	0.48
1:E:82:LEU:HD12	1:E:97:ALA:HB2	1.94	0.48
1:E:194:SER:O	3:F:72:ARG:HD3	2.14	0.48
1:A:88:LEU:HB3	1:A:89:PRO:HD3	1.96	0.48
1:E:297:VAL:HB	1:E:298:PRO:HD3	1.94	0.48
1:C:204:MET:O	1:C:208:ARG:HD3	2.13	0.48
1:E:382:ARG:NH2	1:E:382:ARG:CG	2.74	0.48
2:B:82:ARG:NH2	2:B:114:SER:HB2	2.29	0.48
1:C:304:HIS:HA	1:C:307:ILE:HD12	1.96	0.47
1:E:98:ARG:HG2	1:E:104:SER:HB2	1.96	0.47
1:A:160:GLU:O	1:A:162:ASP:N	2.48	0.47
1:C:206:THR:HG23	1:C:291:PHE:CD2	2.50	0.47
1:A:312:GLU:OE2	2:B:65:TRP:CH2	2.67	0.47
1:A:148:HIS:HB3	1:C:148:HIS:CE1	2.50	0.47
2:D:10:TYR:HB2	2:D:60:ILE:HG23	1.97	0.47
1:C:61:GLY:HA2	1:C:137:ASN:O	2.15	0.47
2:D:28:LEU:HD21	2:D:49:LYS:HB2	1.97	0.47
1:E:53:LYS:O	1:E:57:VAL:HG23	2.15	0.47
1:A:202:ILE:HD11	1:A:377:ILE:CG1	2.23	0.46
1:A:55:LEU:O	1:A:59:SER:HB2	2.14	0.46
1:A:56:LYS:HA	1:A:56:LYS:HD3	1.64	0.46
1:C:396:GLN:HE21	1:C:396:GLN:CA	2.06	0.46
1:C:113:GLU:OE1	1:C:147:ARG:NH2	2.48	0.46
2:D:93:VAL:HG22	2:D:124:ASN:O	2.14	0.46
1:E:294:SER:O	1:E:295:PHE:C	2.53	0.46
2:B:46:VAL:HG21	2:B:80:TYR:CE2	2.51	0.46
1:C:88:LEU:HB3	1:C:89:PRO:HD2	1.96	0.46
1:A:353:ASP:OD2	1:A:354:ARG:HG3	2.15	0.46
1:C:105:LEU:HD13	1:C:119:ILE:HG23	1.98	0.46

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:107:GLN:O	2:D:111:ARG:HB2	2.15	0.46
2:D:74:ARG:HG2	2:D:74:ARG:NH1	2.31	0.46
2:D:13:LYS:HE2	2:D:63:GLN:HE22	1.81	0.46
1:C:323:ASN:ND2	2:D:44:ILE:H	2.13	0.46
1:E:155:HIS:HB2	1:E:393:THR:HG23	1.97	0.46
1:E:123:ASN:O	1:E:124:ASN:CB	2.50	0.45
2:D:71:GLU:OE1	2:D:72:ARG:HD2	2.15	0.45
1:A:155:HIS:HE1	1:A:180:SER:O	2.00	0.45
1:C:69:ARG:HA	1:C:72:ARG:CG	2.46	0.45
4:A:401:PGE:H4	1:C:304:HIS:HE1	1.82	0.45
1:E:155:HIS:HE1	1:E:180:SER:O	1.99	0.45
1:E:181:THR:HG23	1:E:364:ARG:NH2	2.32	0.45
2:D:90:VAL:HA	2:D:122:VAL:O	2.17	0.45
2:B:157:ASN:O	2:B:158:ALA:HB3	2.16	0.45
1:A:158:LEU:HD12	1:A:175:PHE:CZ	2.52	0.45
1:E:319:LEU:C	1:E:321:THR:HG22	2.38	0.45
3:F:23:GLY:H	6:F:202:GDP:PA	2.40	0.44
1:C:177:SER:HB2	1:C:343:HIS:CD2	2.51	0.44
1:E:204:MET:HB3	1:E:208:ARG:NH1	2.32	0.44
3:F:71:GLU:HA	3:F:74:ARG:HD3	1.99	0.44
1:E:81:VAL:O	1:E:83:GLU:HG2	2.18	0.44
2:D:157:ASN:O	2:D:158:ALA:HB3	2.18	0.44
1:E:296:ASN:HA	1:E:363:ASN:ND2	2.33	0.44
1:A:72:ARG:O	1:A:76:GLN:HG2	2.17	0.44
1:A:49:SER:HB3	1:A:52:GLU:OE1	2.17	0.44
1:C:192:PRO:HG2	1:C:388:TYR:CZ	2.53	0.44
1:E:252:ILE:HG22	1:E:256:ASP:HB2	2.00	0.44
2:B:82:ARG:HD2	2:B:82:ARG:HA	1.79	0.44
1:E:86:TYR:O	1:E:94:ARG:HD2	2.17	0.44
2:D:24:LYS:NZ	6:D:202:GDP:O2B	2.44	0.44
1:C:210:LEU:HB3	1:C:227:GLN:HB3	1.99	0.44
1:A:308:SER:OG	2:B:80:TYR:OH	2.26	0.44
1:C:188:ALA:O	2:D:72:ARG:NH2	2.51	0.43
1:A:158:LEU:CD1	1:A:175:PHE:CZ	3.00	0.43
1:A:148:HIS:CE1	1:A:183:LEU:HD13	2.53	0.43
2:D:46:VAL:HG21	2:D:80:TYR:CE2	2.54	0.43
2:D:23:GLY:HA2	6:D:202:GDP:PA	2.58	0.43
1:A:245:ARG:HH21	1:A:249:ASP:CG	2.21	0.43
1:E:158:LEU:O	1:E:161:MET:HE3	2.18	0.43
1:E:85:VAL:HG12	1:E:331:SER:HB3	1.99	0.43
1:C:69:ARG:HA	1:C:72:ARG:HG2	1.99	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:199:PHE:O	1:A:202:ILE:CG1	2.67	0.43
2:B:161:VAL:O	2:B:164:SER:HB2	2.19	0.43
2:D:70:GLN:HE22	2:D:72:ARG:H	1.67	0.43
2:D:30:ARG:HG2	2:D:161:VAL:HG21	2.01	0.43
1:E:75:PHE:O	1:E:79:LEU:N	2.42	0.43
2:B:125:LYS:HG2	6:B:202:GDP:C5	2.54	0.42
1:C:64:ASN:HA	1:C:65:PRO:HD3	1.87	0.42
1:E:249:ASP:O	1:E:281:PRO:HG3	2.19	0.42
1:E:141:GLN:HA	1:E:180:SER:OG	2.20	0.42
1:A:224:ALA:O	1:A:228:MET:HG2	2.20	0.42
3:F:46:VAL:HG22	3:F:67:THR:HG22	2.01	0.42
1:A:184:ILE:HG22	1:A:185:PRO:O	2.19	0.42
1:C:183:LEU:HD23	1:C:389:ALA:HB2	2.02	0.42
1:E:202:ILE:HD12	1:E:203:PHE:CE1	2.55	0.42
1:E:205:ASP:HB3	1:E:291:PHE:O	2.20	0.42
2:D:137:THR:O	2:D:141:GLU:HB2	2.20	0.42
1:A:252:ILE:HG22	1:A:256:ASP:HB2	2.01	0.42
2:D:88:ILE:HG13	2:D:168:MET:CE	2.49	0.42
1:A:309:LYS:HD2	1:A:309:LYS:HA	1.84	0.42
1:C:158:LEU:HA	1:C:158:LEU:HD23	1.95	0.42
1:E:176:THR:HA	1:E:179:LEU:HD12	2.02	0.42
1:C:61:GLY:O	1:C:64:ASN:N	2.54	0.41
1:A:310:ALA:HB2	1:A:349:MET:HG2	2.01	0.41
1:A:267:SER:OG	1:A:270:GLN:HG3	2.19	0.41
1:A:123:ASN:N	1:A:123:ASN:ND2	2.68	0.41
2:D:76:ILE:HD13	2:D:76:ILE:HG21	1.64	0.41
1:C:137:ASN:H	1:C:137:ASN:HD22	1.69	0.41
1:E:208:ARG:O	1:E:212:ASN:ND2	2.52	0.41
1:C:332:GLN:HA	1:C:337:ASN:O	2.20	0.41
1:E:362:THR:O	1:E:390:ALA:HA	2.20	0.41
2:B:82:ARG:NH2	2:B:82:ARG:O	2.52	0.41
2:B:76:ILE:HG21	2:B:76:ILE:HD13	1.68	0.41
1:C:292:TYR:HD2	1:C:295:PHE:CE1	2.39	0.41
1:C:121:THR:OG1	1:C:125:GLU:HB3	2.20	0.41
2:D:125:LYS:HE2	6:D:202:GDP:C8	2.56	0.41
1:C:196:PRO:HB2	1:C:197:THR:HG23	2.03	0.41
2:D:118:ASN:OD1	2:D:175:ARG:NH1	2.54	0.41
1:E:134:ASN:N	1:E:137:ASN:HD21	2.19	0.40
3:F:47:ASP:O	3:F:66:ASP:N	2.48	0.40
1:A:64:ASN:HA	1:A:65:PRO:HD3	1.90	0.40
1:C:217:LEU:HD22	1:C:277:PHE:HE2	1.86	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:83:GLU:HA	1:C:84:PRO:HD2	1.93	0.40
3:F:97:GLU:HA	3:F:100:ASN:ND2	2.36	0.40
1:E:79:LEU:C	1:E:81:VAL:H	2.25	0.40
1:E:202:ILE:HA	1:E:205:ASP:HB2	2.04	0.40
1:E:291:PHE:CD1	1:E:326:ILE:HD13	2.56	0.40
1:A:103:SER:HB3	1:A:122:PRO:HD3	2.02	0.40
1:E:71:GLU:O	1:E:74:SER:HB2	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	349/351 (99%)	331 (95%)	15 (4%)	3 (1%)	21	55
1	C	348/351 (99%)	316 (91%)	30 (9%)	2 (1%)	30	65
1	E	342/351 (97%)	313 (92%)	27 (8%)	2 (1%)	30	65
2	B	169/171 (99%)	159 (94%)	10 (6%)	0	100	100
2	D	169/171 (99%)	157 (93%)	12 (7%)	0	100	100
3	F	57/117 (49%)	55 (96%)	2 (4%)	0	100	100
All	All	1434/1512 (95%)	1331 (93%)	96 (7%)	7 (0%)	34	69

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	159	SER
1	A	161	MET
1	E	124	ASN
1	C	352	GLU
1	E	295	PHE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	239	THR
1	A	123	ASN

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	312/312 (100%)	280 (90%)	32 (10%)	9	26
1	C	311/312 (100%)	284 (91%)	27 (9%)	13	35
1	E	309/312 (99%)	282 (91%)	27 (9%)	13	35
2	B	151/151 (100%)	136 (90%)	15 (10%)	10	28
2	D	151/151 (100%)	134 (89%)	17 (11%)	7	22
3	F	45/104 (43%)	39 (87%)	6 (13%)	5	14
All	All	1279/1342 (95%)	1155 (90%)	124 (10%)	10	29

All (124) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	47	GLU
1	A	56	LYS
1	A	59	SER
1	A	68	SER
1	A	69	ARG
1	A	72	ARG
1	A	82	LEU
1	A	121	THR
1	A	123	ASN
1	A	127	ILE
1	A	137	ASN
1	A	140	LEU
1	A	158	LEU
1	A	159	SER
1	A	160	GLU
1	A	166	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	189	GLN
1	A	202	ILE
1	A	204	MET
1	A	225	ASN
1	A	237	LYS
1	A	309	LYS
1	A	319	LEU
1	A	323	ASN
1	A	329	SER
1	A	346	VAL
1	A	357	GLU
1	A	366	SER
1	A	371	GLN
1	A	376	ILE
1	A	379	GLU
1	A	382	ARG
2	B	11	LEU
2	B	16	LEU
2	B	51	ARG
2	B	56	ASP
2	B	58	LYS
2	B	70	GLN
2	B	74	ARG
2	B	76	ILE
2	B	77	THR
2	B	103	LYS
2	B	114	SER
2	B	115	GLU
2	B	130	THR
2	B	138	THR
2	B	141	GLU
1	C	62	LEU
1	C	74	SER
1	C	82	LEU
1	C	119	ILE
1	C	123	ASN
1	C	130	LEU
1	C	137	ASN
1	C	139	LEU
1	C	140	LEU
1	C	142	SER
1	C	159	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	160	GLU
1	C	189	GLN
1	C	216	SER
1	C	237	LYS
1	C	239	THR
1	C	241	SER
1	C	244	THR
1	C	300	LEU
1	C	326	ILE
1	C	329	SER
1	C	335	ASP
1	C	346	VAL
1	C	357	GLU
1	C	368	GLU
1	C	382	ARG
1	C	396	GLN
2	D	7	GLU
2	D	11	LEU
2	D	16	LEU
2	D	51	ARG
2	D	58	LYS
2	D	70	GLN
2	D	74	ARG
2	D	76	ILE
2	D	77	THR
2	D	82	ARG
2	D	97	GLU
2	D	103	LYS
2	D	111	ARG
2	D	115	GLU
2	D	135	ASP
2	D	141	GLU
2	D	171	GLU
1	E	69	ARG
1	E	82	LEU
1	E	106	ARG
1	E	121	THR
1	E	137	ASN
1	E	139	LEU
1	E	140	LEU
1	E	156	ARG
1	E	160	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	E	164	THR
1	E	167	THR
1	E	189	GLN
1	E	202	ILE
1	E	207	CYS
1	E	236	LEU
1	E	249	ASP
1	E	265	SER
1	E	300	LEU
1	E	311	SER
1	E	316	GLU
1	E	319	LEU
1	E	334	SER
1	E	357	GLU
1	E	375	CYS
1	E	382	ARG
1	E	395	LEU
1	E	396	GLN
3	F	17	ILE
3	F	19	ASP
3	F	70	GLN
3	F	74	ARG
3	F	76	ILE
3	F	108	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	111	ASN
1	A	123	ASN
1	A	137	ASN
1	A	155	HIS
1	A	304	HIS
1	A	314	ASN
1	A	323	ASN
1	A	397	ASN
2	B	70	GLN
1	C	111	ASN
1	C	123	ASN
1	C	137	ASN
1	C	155	HIS
1	C	171	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	270	GLN
1	C	304	HIS
1	C	323	ASN
1	C	332	GLN
1	C	396	GLN
2	D	63	GLN
2	D	70	GLN
1	E	137	ASN
1	E	155	HIS
1	E	250	HIS
1	E	270	GLN
1	E	314	ASN
1	E	323	ASN
1	E	363	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 3 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	PGE	A	401	-	9,9,9	1.40	2 (22%)	8,8,8	0.90	1 (12%)
5	AF3	B	201	8,6	0,3,3	0.00	-	0,3,3	0.00	-
6	GDP	B	202	5,7	23,30,30	1.65	4 (17%)	30,47,47	2.03	6 (20%)
5	AF3	D	201	8,6	0,3,3	0.00	-	0,3,3	0.00	-
6	GDP	D	202	5,7	23,30,30	1.82	4 (17%)	30,47,47	2.12	9 (30%)
5	AF3	F	201	6	0,2,3	0.00	-	0,1,3	0.00	-
6	GDP	F	202	5,7	7,9,30	1.96	2 (28%)	12,14,47	1.57	3 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PGE	A	401	-	-	0/7/7/7	0/0/0/0
5	AF3	B	201	8,6	-	0/0/0/0	0/0/0/0
6	GDP	B	202	5,7	-	0/12/32/32	0/3/3/3
5	AF3	D	201	8,6	-	0/0/0/0	0/0/0/0
6	GDP	D	202	5,7	-	0/12/32/32	0/3/3/3
5	AF3	F	201	6	-	0/0/0/0	0/0/0/0
6	GDP	F	202	5,7	-	0/9/9/32	0/0/0/3

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	401	PGE	O2-C2	2.12	1.51	1.42
6	B	202	GDP	O4'-C1'	2.17	1.44	1.41
4	A	401	PGE	O3-C5	2.36	1.52	1.42
6	B	202	GDP	PA-O1A	2.73	1.61	1.51
6	D	202	GDP	O4'-C1'	2.81	1.44	1.41
6	F	202	GDP	PA-O1A	2.84	1.61	1.51
6	F	202	GDP	PB-O1B	2.97	1.60	1.51
6	D	202	GDP	PB-O1B	3.16	1.61	1.51
6	D	202	GDP	C6-C5	3.80	1.48	1.41
6	B	202	GDP	C6-C5	3.98	1.49	1.41
6	B	202	GDP	O6-C6	4.52	1.35	1.24
6	D	202	GDP	O6-C6	5.28	1.37	1.24

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	D	202	GDP	PA-O3A-PB	-5.58	113.95	132.67
6	B	202	GDP	PA-O3A-PB	-5.44	114.43	132.67
6	B	202	GDP	C2'-C1'-N9	-5.01	106.63	114.29
6	D	202	GDP	C5-C6-N1	-4.28	117.74	123.59
6	D	202	GDP	N3-C2-N1	-4.18	121.07	127.44
6	D	202	GDP	C2'-C1'-N9	-4.05	108.10	114.29
6	B	202	GDP	N3-C2-N1	-3.92	121.47	127.44
6	B	202	GDP	C5-C6-N1	-3.31	119.06	123.59
6	F	202	GDP	PA-O3A-PB	-3.24	121.81	132.67
6	D	202	GDP	C4-C5-N7	-2.61	107.07	109.48
6	D	202	GDP	C6-C5-C4	-2.30	118.15	120.90
4	A	401	PGE	O3-C5-C6	2.04	119.84	110.43
6	F	202	GDP	O2B-PB-O3A	2.06	114.46	105.09
6	F	202	GDP	O3A-PA-O5'	2.11	109.60	102.62
6	D	202	GDP	N2-C2-N1	2.47	121.29	117.20
6	B	202	GDP	O4'-C1'-N9	2.62	113.58	108.10
6	D	202	GDP	O4'-C1'-N9	2.74	113.83	108.10
6	B	202	GDP	C6-N1-C2	2.96	120.05	115.94
6	D	202	GDP	C6-N1-C2	3.69	121.06	115.94

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	401	PGE	1	0
6	B	202	GDP	1	0
6	D	202	GDP	6	0
6	F	202	GDP	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	351/351 (100%)	-0.02	2 (0%) 90 86	44, 70, 104, 118	0
1	C	350/351 (99%)	0.13	7 (2%) 68 58	49, 100, 158, 174	0
1	E	348/351 (99%)	0.47	31 (8%) 12 6	61, 126, 222, 273	0
2	B	171/171 (100%)	-0.22	0 100 100	47, 66, 89, 114	0
2	D	171/171 (100%)	0.12	3 (1%) 71 61	57, 98, 135, 165	0
3	F	73/117 (62%)	2.33	36 (49%) 0 0	181, 242, 269, 306	0
All	All	1464/1512 (96%)	0.24	79 (5%) 29 19	44, 91, 218, 306	0

All (79) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	F	64	ILE	9.3
3	F	109	ILE	7.6
3	F	40	TYR	6.8
3	F	63	GLN	5.7
3	F	22	VAL	5.6
3	F	102	VAL	5.6
3	F	101	ASN	4.9
3	F	94	THR	4.8
3	F	113	ALA	4.5
3	F	92	ASP	4.4
1	E	131	LEU	4.3
3	F	93	VAL	4.3
3	F	37	THR	4.3
3	F	29	LEU	4.1
3	F	114	SER	4.1
3	F	33	ASP	3.9
3	F	115	GLU	3.8
3	F	14	LEU	3.8
3	F	26	CYS	3.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	E	240	HIS	3.7
1	C	65	PRO	3.7
3	F	105	TRP	3.6
1	E	48	MET	3.6
1	E	239	THR	3.5
1	E	356	ASN	3.5
2	D	126	CYS	3.3
3	F	18	GLY	3.2
1	A	160	GLU	3.2
1	E	75	PHE	3.2
1	E	127	ILE	3.2
1	E	246	ASN	3.1
3	F	129	THR	3.1
1	C	252	ILE	3.0
1	E	117	ALA	2.9
3	F	66	ASP	2.9
3	F	15	LEU	2.9
1	E	66	THR	2.9
1	E	120	ARG	2.8
3	F	27	LEU	2.8
3	F	25	SER	2.7
1	C	125	GLU	2.7
3	F	106	LEU	2.7
1	E	396	GLN	2.7
1	E	122	PRO	2.7
3	F	65	TRP	2.7
1	E	318	SER	2.6
1	C	48	MET	2.6
1	E	106	ARG	2.5
1	E	123	ASN	2.5
1	C	255	HIS	2.5
1	E	72	ARG	2.5
1	C	254	ARG	2.4
2	D	156	LYS	2.4
1	E	163	LEU	2.4
1	E	130	LEU	2.4
2	D	128	LEU	2.4
3	F	36	TYR	2.4
3	F	31	PHE	2.3
3	F	78	SER	2.3
3	F	21	GLY	2.3
1	E	251	GLY	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	E	354	ARG	2.3
3	F	28	LEU	2.3
1	E	60	PHE	2.2
1	E	110	THR	2.2
1	E	47	GLU	2.2
1	E	102	GLY	2.2
3	F	110	ASP	2.2
1	E	54	LEU	2.1
1	E	67	TYR	2.1
1	C	237	LYS	2.1
3	F	103	LYS	2.1
3	F	98	SER	2.1
1	E	238	ASP	2.1
1	A	383	ALA	2.1
1	E	99	PHE	2.0
3	F	23	GLY	2.0
1	E	125	GLU	2.0
1	E	316	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
4	PGE	A	401	10/10	0.80	0.38	7.73	61,68,73,74	0
5	AF3	D	201	4/4	0.92	0.17	0.28	37,38,38,38	0
6	GDP	D	202	28/28	0.95	0.17	-0.36	69,98,113,120	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
6	GDP	B	202	28/28	0.99	0.16	-0.45	45,58,64,68	0
5	AF3	F	201	3/4	0.65	0.24	-0.65	34,34,34,34	0
6	GDP	F	202	10/28	0.70	0.26	-0.87	197,202,204,204	0
5	AF3	B	201	4/4	0.98	0.06	-3.90	36,38,38,39	0
7	MG	B	203	1/1	0.93	0.12	-	52,52,52,52	0
7	MG	D	203	1/1	0.98	0.12	-	78,78,78,78	0
7	MG	F	203	1/1	0.75	0.17	-	192,192,192,192	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.